

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>B01J 19/00, B04B 1/00</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 99/25470</b> <b>(43) International Publication Date:</b> 27 May 1999 (27.05.99)
<b>(21) International Application Number:</b> PCT/US98/24519 <b>(22) International Filing Date:</b> 17 November 1998 (17.11.98) <b>(30) Priority Data:</b> 08/974,090 19 November 1997 (19.11.97) US <b>(71) Applicant:</b> TREGA BIOSCIENCES, INC. [US/US]; 9880 Campus Point Drive, San Diego, CA 92121 (US). <b>(72) Inventor:</b> LEBL, Michal; 6161 Arnoldson Court, San Diego, CA 92122 (US). <b>(74) Agents:</b> BALDWIN, Geraldine, F. et al.; Pennie & Edmonds LLP, 1155 Avenue of the Americas, New York, NY 10036 (US).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> APPARATUS AND METHOD FOR SEPARATION OF LIQUID AND SOLID PHASES FOR SOLID PHASE ORGANIC SYNTHESSES		
<b>(57) Abstract</b>		
<p>A simple, efficient apparatus and method for separation of solid and liquid phases useful in methods of high-throughput combinatorial organic synthesis of large libraries or megarrays of organic compounds is disclosed. The method for separating a liquid phase from a solid phase during a solid phase organic synthetic process comprises: (1) positioning a reaction vessel or one or more arrays of reaction vessels, such as one or more microtiter plates, said vessels containing a slurry of solid phase particles or beads in a liquid, on the perimeter of a centrifuge rotor in a tilted or not tilted position; and (2) spinning the rotor of the centrifuge at a speed so that the solid phase particles sediment in a "pocket" of the vessels and the liquid phase is expelled from the vessels. The apparatus and method are useful, whether as part of an automated, robotic or manual system for combinatorial organic synthesis. In a preferred embodiment, an apparatus and method of removal of liquid phase from solid phase compatible with microtiter plate type array(s) of reaction vessels is disclosed.</p>		
<p style="text-align: center;"><b>A</b></p> <p style="text-align: center;"><b>B</b></p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
ER	Eritrea						

APPARATUS AND METHOD FOR SEPARATION OF LIQUID AND  
SOLID PHASES FOR SOLID PHASE ORGANIC SYNTHESSES

1. FIELD OF INVENTION

The present invention relates to the field of  
5 devices and methods for chemical synthesis. More  
particularly, the present invention relates to a simple  
efficient apparatus and method for separation of solid and  
liquid phases in high-throughput, solid phase organic  
synthesis. The present invention is particularly applicable  
10 for high-throughput combinatorial synthesis of organic  
molecules, whether as part of an automated or a manual  
procedure.

2. BACKGROUND OF THE INVENTION

15 Solid phase synthesis of organic molecules is the  
method of choice for preparation of libraries and compound  
megaarrays, which are currently being applied for screening  
in the quest to find new drugs or pharmaceutical lead  
compounds, i.e., compounds which exhibit a particular  
20 biological activity of pharmaceutical interest, and which can  
serve as a starting point for the selection and synthesis of  
a drug compound, which in addition to the particular  
biological activity of interest has pharmacologic and  
toxicologic properties suitable for administration to  
25 animals, including humans. Manual synthesis requires  
repetitions of several relatively simple operations  
addition of reagents, incubation and separation of solid and  
liquid phases, and removal of liquids. This character of the  
synthetic process renders it optimal for automation. Several  
30 designs of automated instruments for combinatorial synthesis  
have appeared in the patent and non-patent literature.  
Constructions based on specialized reactors connected  
permanently (or semi-permanently) to containers for the  
storage of reagents are strongly limited in their throughput.  
35 The productivity of automated instruments can be dramatically  
improved by use of disposable reaction vessels (such as  
multititer plates or test tube arrays) into which reagents

are added by pipetting, or by direct delivery from storage containers. The optimal storage vehicle is a syringe-like apparatus of a material inert to the chemical reactants, etc., e.g., a glass syringe, allowing the storage of the  
5 solution without any exposure to the atmosphere, and capable of serving as a delivery mechanism at the same time. See U.S. Patent Application Serial No. 08/815,975.

Liquid removal from the reaction vessel (reactor) is usually accomplished by filtration through a filter-type  
10 material. The drawback of this method is the potential clogging of the filter, leading to extremely slow liquid removal, or to contamination of adjacent reactor compartments. An alternative technique based on the removal of liquid by suction from the surface above the sedimented  
15 solid phase is limited due to incomplete removal of the liquid from the reaction volume. See U.S. Patent Application Serial No. 08/815,975.

The present application is an improvement upon U.S. Patent Nos 5,202,418, 5,338,831 and 5,342,585 which describe  
20 placement of resin in polypropylene mesh packets and removal of liquid through the openings of these packets (therefore this process is basically filtration), or removal of the liquid from the pieces of porous textile-like material by centrifugation.

25 Liquid removal by centrifugation was described and is the subject of several publications (see the book "Aspects of the Merrified Peptide Synthesis" by Christian Birr in the series Reactivity and Structure Concepts in Organic Chemistry vol. 8, K. Hafner, J.-M. Lehn, C.W. Rees, P. von Rague  
30 Schleyer, B.M. Trost, R. Zahradnik, Eds., Springer-Verlag, Berlin, Heidelberg, New York, 1978, and German Patent Application P 20 17351.7, G. 70 13256.8, 1970. These references describe the use of centrifugation for liquid removal from slurry of solid phase particles in a  
35 concentric vessel equipped with a filtration material in its perimeter and spun around its axis.

None of the prior art contemplates the removal of liquid by creation of "pockets" from which material cannot be removed by centrifugal force.

There still remains a need for a simple, efficient means of separating liquid and solid phases during solid phase synthesis of organic molecules, particularly a method amenable to use with automated methods for such syntheses.

### 3. SUMMARY OF THE INVENTION

The present invention is based on a discovery of a simple efficient means for separation of liquid and solid phases, e.g., removal of liquid from solid phase supports, used for solid phase organic syntheses. In one embodiment of the invention, the solid phase organic synthetic protocol utilizes widely available, disposable reaction vessel arrays, such as microtiter style plates (see Fig. 1A). In an alternative embodiment of the invention, the synthetic protocol utilizes a vessel with a lip facing inward (see Fig. 1B) spun around its axis to create a "pocket" in which the solid material is retained. According to the present invention, however, any vessel or array of vessels or plurality of arrays of vessels which can be placed in a tilted position on the perimeter of a centrifuge, can be used in the method of the invention.

The method of the invention for separating a liquid phase from a solid phase during a solid phase organic synthetic process comprises:

(1) positioning a reaction vessel or an array of reaction vessels, such as a microtiter plate having an array of reaction wells, said vessel(s) containing a sedimentable slurry of solid phase particles or beads in a liquid, on the perimeter of a centrifuge rotor in a tilted or a not tilted position; and

(2) spinning the rotor of the centrifuge at a speed so that the solid phase particles sediment in a "pocket" of the vessels and the liquid phase is expelled from the vessels. In one embodiment of the invention, the rotor

is spun at a speed so that the centrifugal force on the radius corresponding to the reaction vessels which are closest to the axis of rotation is significantly greater than the force of gravity, and the solid phase particles sediment in a "pocket" of the vessels and the liquid phase is expelled from the vessels. The volume of a "pocket" is determined by: (i) the degree of the tilt, (ii) the speed of rotation, and (iii) the distance of the particular reaction vessel from the axis of rotation. The appropriate combination of these factors determines the volume of residual liquid in the slurry retained in the pocket and therefore completeness of liquid removal. However, since it is desired that all reaction vessels in a multivessel arrangement of a reaction block (such as a microtiter plate) should undergo the removal of the liquid to the same degree, it is important that the angle of the liquid surface in the "pocket" of the reaction vessels during the centrifugation is as close to 90 degrees with respect to the center of rotation as possible. In the situation of a single particle in each of the wells (in the microwell situation (0.05-2  $\mu$ l volume) or in the case of using macrobeads in a regular well of 20-250  $\mu$ l volume) even negligible or no tilt successfully retains beads in the wells - there is no force vector pulling the bead out of the pocket, and moreover, partial distortion of the plastic bead due to the centrifugal force prevents the free rolling of otherwise spherical beads.

In one embodiment, the liquid phase is collected on the wall of the centrifuge. In an alternative embodiment, the liquid phase is collected in a "collecting pocket" or a series of "collecting pockets" (see, e.g., Figs. 3 and 4).

The apparatus of the invention comprises a holder adapted to attaching a reaction vessel or an array of reaction vessels, e.g., a microtiter plate, to a rotor of a centrifuge, said holder comprising one or more indentations or groves designated "collecting pockets" positioned along one side of said holder said collecting pockets having a volume sufficient to collect and retain any liquid expelled

from the reaction vessels, e.g., the wells of the microtiter plate, when the holder and attached reaction vessels are spun by the centrifuge rotor. According to the invention, the holder can hold a single or individual microtiter plate or a plurality of microtiter plates, each plate comprising an array of vessels. One or more of the holders can be attached to the rotor of a centrifuge.

In another embodiment, the apparatus of the invention is an automated integrated apparatus or system for solid phase chemical synthesis, comprising:

- (a) a centrifuge in which an array of reaction vessels suitable for solid phase organic synthesis can be spun in a tilted or not tilted position;
- (b) a liquid distribution device; and
- (c) a computer for processing a program of instructions for addition of liquid phase to and removal, via centrifugation, of liquid phase from the reaction vessels according to said program.

#### 4. BRIEF DESCRIPTION OF THE FIGURES

The present invention can be understood more completely by reference to the following detailed description, examples, appended claims and accompanying figures in which:

- Figs. 1 (A-B) illustrate sedimentation of solid phase particles in a "pocket" (2) of the vessels and expulsion of liquid achieved according to the method of the invention. Fig 1A illustrates the path of liquid removed from a vessel, such as a well of a microtiter plate by centrifugation. The straight lip (1) at the upper end of each well of the microtiter plate prevents the liquid from entering the well closer to the edge of a centrifugal plate - this well is higher and the lip wall is tilted in the direction to the bottom of the plate. The large arrow represents the vector resulting from centrifugal and gravitational forces. The small arrow with thin trailing line illustrates the direction of the flow of liquid removed



from the reaction vessels. Fig. 1B illustrates an alternative embodiment of the invention in which a vessel having a lip facing inward (1') when spun according to the method of the invention "creates" a "pocket" (2) in which the solid phase particles are retained. The left portion of Fig. 1B illustrates the solid phase (3) and liquid phase (4) in the vessel prior to centrifugation. The right portion of Fig. 1B illustrates the pocket (2) containing retained solid phase during spinning (and removal of the liquid).

10 Figs. 2 (A-B) illustrate a number of embodiments of the separation apparatus/process of the present invention using a single or individual well-type reaction vessel (Fig. 2A); and an embodiment using a multi-well microtiter-type plate or array of reaction vessels (Fig. 2B). As shown in 15 Fig. 2A, continued centrifugation, in a "swung out" position, after centrifugal expulsion of the liquid, allows the solid phase particles to fill from the pocket (2) to the bottom of the vessels.

Figs. 3 (A-F) illustrate a variety of embodiments of means for attaching one or a plurality of microtiter 20 plates to a centrifuge rotor according to the method of the invention. Fig. 3A shows four microtiter plates, in a single layer, attached to a rotor of a centrifuge. A spring loaded side wall (6) aids in keeping the microtiter plate securely 25 affixed. Fig. 3B is an enlarged illustration of one of the microtiter plates shown in Fig. 3A. A hollow "collecting pocket" (5) at the edge of the microtiter holders is illustrated. The collecting pocket receives and retains the liquid phase expelled from the microtiter wells during 30 centrifugation. Figs. 3C and 3D demonstrate different ways to attach the plates to the rotor. Fig. 3C shows sliding the plate into two rails from the inside (3C) and Fig. 3D shows snapping it in against a spring loaded side wall (6). Figs. 3E and 3F illustrate two means for attaching the microtiter 35 plates. The top portion of Fig. 3E shows a means in which a spring loaded side wall (6) can "clamp" a microtiter plate to the holder. The lower portion of Fig. 3E shows a means in

which two parallel "guard rails" (10) along the side walls retain the microtiter plate in place on the holder. Fig. 3F (top and lower positions) is an enlarged view of the holders shown in Fig. 3E.

5            Fig. 4 is an enlarged top view of the microtiter plate affixed to a rotor shown in Fig. 3A. The collecting pocket(s) which collects the liquid phase expelled from the microtiter wells during centrifugation is clearly visible.

          Figs. 5 (A-D) illustrate a plurality of microtiter  
10 plates positioned in a housing (7) which can hold several plates and which is used to attach the plurality of microtiter plates to a centrifuge rotor according to the method of the invention. Fig. 5A depicts four closed housings (7) positioned on a rotor, each of which housings  
15 can hold four microtiter plates or a total of 16 microtiter plates for the four housings illustrated. Fig. 5B illustrates a detachable retainer wall (8) with a hollow "shoe" (9) which can be used to close the housing (7). During centrifugation, the liquid expelled from the wells of  
20 the microtiter plates collects in the hollow shoe (9). Fig 5C shows four microtiter plates positioned in a housing (7). Fig. 5D illustrates the plate tilt of the microtiter plates in the housing.

          Figs. 6 (A-C) illustrate a centrifuge integrated  
25 with a liquid distribution system useful according to the method of the present invention. The integrated centrifuge and liquid distribution system can be combined with a computer for processing of instructions for addition to and removal of liquid phase from the reaction vessels to provide  
30 an integrated apparatus or system useful for solid phase synthesis of compounds or libraries of compounds. Fig. 6A is a general view showing a centrifuge positioned under a liquid distribution system; Fig. 6B is a side view; and Fig. 6C is a top view showing microtiter plates positioned for  
35 centrifugation.

Figs. 7 (A-B) illustrate complementary "rotor cover" (11) and plates sandwiched between the rotor and rotor cover for high temperature incubation.

5 Figs. 8 (A-D) demonstrate that there is no transfer of solid phase from one well to another. The arrows indicate the direction of centrifugal force applied to the plate. Figs. 8A-B are views through a binocular dissecting microscope of two microtiter plate wells, one originally containing solid and liquid phases placed closer to the center of rotation and one empty well placed further away from the center of rotation, after passing through several steps of centrifugal liquid removal. Fig. 8A shows the situation in which the well was not "overloaded" with solid phase. Fig. 8B shows the situation in which the well was "overloaded" with the solid phase (resin) -- capacity of the pocket was not adequate (12 mg). However, even in this situation the resin was not transferred to the next well. Figs. 8C and 8D also show a microtiter plate "overloaded" with solid phase (upper plate of Fig. 8C). The redundant resin ended in the "interwell" space, as illustrated by upper plate in Fig. 8C. Fig. 8D is an enlarged version of the upper plate of Fig. 8C to show closer details.

Figs. 9 (A-C) illustrate a centrifuge built according to the present invention as a centrifuge-based solid phase synthetic apparatus. The system has an integrated 96 channel liquid distribution system. Fig. 9A shows a centrifuge useful as a solid phase synthesizer in which tilted plates are centrifuged. This centrifuge has a rotor of a diameter 25 cm, on the perimeter of which are placed eight microtiter plates in permanent tilt of 9 degrees. The centrifuge is integrated with a 96 channel liquid distributor which can deliver solvent or solutions of reagents from six different bottles into the plate positioned under the needles of the distributor. Fig. 9B shows the rotor of the centrifuge and Fig. 9C shows the detail of the microtiterplate attachment to the rotor.

Fig. 10 illustrates the structure of an array of compounds synthesized in the example discussed in Section 7. (See Table 1 for definition of R).

5                    5.    DETAILED DESCRIPTION OF THE INVENTION

For clarity of disclosure, and not by way of limitation, the detailed description of this invention is presented herein with respect to figures that illustrate preferred embodiments of elements of this invention.

10 However, this invention includes those alternative embodiments of these elements performing similar functions in similar manners that will be apparent to one skilled in the art from the entirety of the disclosure provided.

By way of introduction, combinatorial chemistry  
15 synthesis protocols prescribe the stepwise, sequential addition of building blocks to intermediate and/or partially-synthesized intermediate compounds in order to synthesize a final compound.

In solid-phase synthesis, final compounds are  
20 synthesized attached to solid-phase supports that permit the use of simple mechanical means to separate intermediate, partially-synthesized intermediate compounds between synthetic steps. Typical solid-phase supports include beads, including microbeads, of 30 microns to 300 microns in  
25 diameter, which are functionalized in order to covalently attach intermediate compounds (or final compounds), and made of, e.g., various glasses, plastics, or resins.

Solid-phase combinatorial synthesis typically proceeds according to the following steps. In a first step,  
30 reaction vessels are charged with a solid-phase support, typically a slurry of functionalized beads suspended in a solvent. These beads are then preconditioned by incubating them in an appropriate solvent, and the first of a plurality of building blocks, or a linker moiety, is covalently linked  
35 to the functionalized beads. Subsequently, a plurality of building block addition steps are performed, all of which involve repetitive execution of the following substeps, and

in a sequence chosen to synthesize the desired compound. First, a sufficient quantity of a solution containing the building block moiety selected for addition is accurately added to the reaction vessels so that the building block  
5 moiety is present in a molar excess to the intermediate compound. The reaction is triggered and promoted by activating reagents and other reagents and solvents, which are also added to the reaction vessel. The reaction vessel is then incubated at a controlled temperature for a time,  
10 typically between 5 minutes and 24 hours, sufficient for the building block addition reaction or transformation to go to substantial completion. Optionally, during this incubation, the reaction vessel can be intermittently agitated or stirred. Finally, in a last substep of building block  
15 addition, the reaction vessel containing the solid-phase support with attached intermediate compound is prepared for addition of the next building block by removing the reaction fluid and thorough washing and reconditioning the solid-phase support. Washing typically involves three to seven cycles of  
20 adding and removing a wash solvent. Optionally, during the addition steps, multiple building blocks can be added to one reaction vessel in order to synthesize a mixture of compound intermediates attached to one solid-phase support, or alternatively, the contents of separate reaction vessels can  
25 be combined and partitioned in order that multiple compounds can be synthesized in one reaction vessel with each microbead having only one attached final compound. After the desired number of building block addition steps, the final compound is present in the reaction vessel attached to the solid-phase  
30 support. The final compounds can be utilized either directly attached to the synthetic supports, or alternatively, can be cleaved from the supports and extracted into a liquid phase.

An exemplary solid-phase combinatorial protocol is that for the synthesis of peptides attached to polymer resin,  
35 which proceeds according to Lam et al., 1991, A new type of synthetic peptide library for identifying ligand-binding activity, Nature 354:82-84. U.S. Patent 5,510,240 to Lam et

al. for Method of screening a peptide library; Lam et al., 1994, Selectide technology: Bead-binding screening. Methods: A Companion to Methods in Enzymology 6:372-380. Another exemplary protocol is that for the synthesis of

5 benzodiazepine moieties, which proceeds according to Bunin et al., 1992, A general and expedient method for the solid phase synthesis of 1,4-benzodiazepine derivatives, J. Amer. Chem. Soc., 114:10997-10998. U.S. Patent 5,288,514 to Ellman for Solid phase and combinatorial synthesis of benzodiazepine

10 compounds on a solid support. Also, for protocols for the addition of N-substituted glycines to form peptoids, see, e.g., Simon, et al., 1992, Peptoids: A modular approach to drug discovery. Proc. Natl. Acad. Sci. USA, 89:9367-9371; Zuckermann et al., 1992, Efficient method for the preparation

15 of peptoids [oligo(N-substituted glycines)] by submonomer solid-phase synthesis. J. Amer. Chem. Soc., 114:10646-10647; WO PCT94/06,451 to Moos et al. for Synthesis of N-substituted polyamide monomers, useful as solvents, additives for food, enzyme inhibitors etc. Approaches for synthesis of small

20 molecular libraries were recently reviewed by, e.g., Krchnak and Lebl, 1996, Synthetic library techniques: Subjective (biased and generic) thoughts and views, Molecular Diversity, 1:193-216; Ellman, 1996, Design, synthesis, and evaluation of small-molecule libraries, Account. Chem. Res., 29:132-143;

25 Armstrong et al., 1996, Multiple-component condensation strategies for combinatorial library synthesis, Account. Chem. Res., 29:123-131.; Fruchtel et al., 1996, Organic chemistry on solid supports, Angew. Chem. Int. Ed., 35:17-42; Thompson et al., 1996, Synthesis and application of small

30 molecule libraries, Chem. Rev., 96:555-600; Rinnova et al., 1996, Molecular diversity and libraries of structures: Synthesis and screening, Collect. Czech. Chem. Commun., 61: 171-231; Hermkens et al., 1996, Solid-phase organic reactions: A review of the recent literature, Tetrahedron,

35 52:4527-4554. Exemplary building blocks and reagents are amino acids, other organic acids, aldehydes, alcohols, and so forth, as well as bifunctional compounds, such as those given

in Krchnak and Lebl, 1996, Synthetic library techniques: Subjective (biased and generic) thoughts and views, Molecular Diversity, 1:193-216.

5

### 5.1. PROCESS

The method of the invention for separating a liquid phase from a solid phase during a solid phase organic synthetic process comprises:

- (1) positioning a reaction vessel or one or more  
10 arrays of reaction vessels, such as one or more microtiter plates, said vessels containing a slurry of solid phase particles or beads in a liquid, on the perimeter of a centrifuge rotor in a tilted or not tilted position; and
- (2) spinning the rotor of the centrifuge at a  
15 speed so that the solid phase particles sediment in a "pocket" of the vessels and the liquid phase is expelled from the vessels.

In the case of situation in which only one row of vessels is placed at the perimeter of the centrifuge rotor,  
20 the ratio of centrifugal force versus gravitation determines the volume of the "pocket" used for the separation of solid and liquid phase in all vessels and even very low ratio (such as 1:1) can be successfully used. The important factor is only the reproducibility of the speed of centrifugation.

- 25 In one embodiment of the invention, the rotor of the centrifuge is spun at a speed so that the centrifugal force on the radius corresponding to the reaction vessels which are closest to the axis of rotation is significantly greater than the force of gravity so that the solid phase  
30 particles sediment in a "pocket" of the vessels and the liquid phase is expelled from the vessels. The volume of a "pocket" is determined by: (i) the degree of the tilt, (ii) the speed of rotation, and (iii) the distance of the particular reaction vessel from the axis of rotation. The  
35 appropriate combination of these factors determines the volume of residual liquid in the slurry retained in the pocket and therefore completeness of liquid removal.

However, since it is desired that all reaction vessels in a multivessel arrangement or array of vessels (such as a microtiter plate) should undergo the removal of the liquid to the same degree, it is important that the angle of the liquid surface in the "pocket" of the reaction vessels during the centrifugation is as close to 90 degrees with respect to the axis of rotation as possible. In the case when a single particle is used in each of the wells (e.g., using a microwell situation (0.05-2  $\mu$ l volume) or in the case when using macrobeads in a regular well (20-250  $\mu$ l volume) even negligible or no tilt successfully retains beads in the wells - there is no force vector pulling the bead out of the pocket, and moreover, partial distortion of the plastic bead due to the centrifugal force prevents the free rolling of otherwise spherical beads.

As used in the present application, the term "significantly greater than the force of gravity" is intended to mean that the force is at least about 5 to 300 X G, preferably about 10 to 300 X G, and even more preferably about 100 to 300 X G. In other words, the centrifuge is spun at a speed so that the ratio of the centrifugal force to gravity, i.e., the Relative Centrifugal Force (RCF) is at least about 5 to 300, preferably about 10 to 300, and more preferably about 100 to 300.

RCF can be calculated according to the following formula:

$$RCF = 0.000018 \times r \times N^2$$

where r is the radius of rotation in centimeters and N is the rotating speed in revolutions per minute (rpms).

For example, if r is 17 cm and the rotor is spun at 350 rpms, the Relative Centrifugal Force is 23 times greater than gravity (G). If r is 23 cm and the rotor is spun at the same speed, the RCF is 31.5 X G.

Values of RCF significantly greater than 1 are required if individual vessels are placed at different distances from the center of rotation. To achieve uniform distribution of liquid in all vessels it is important to



remove as much as possible of the liquid phase from all wells. The theoretical value of an angle of liquid surface achievable in the centrifuge versus liquid in nondisturbed state is 90 degrees. This requires a value of the above mentioned ratio (RCF) reaching infinity. For practical reasons, the difference between 89 degrees (ratio 100:1) or 85 degrees (ratio 18:1) may be acceptable. Acceptability of this value depends on the degree of the tilt determining the absolute value of the "pocket" volume. The greater the tilt, the bigger the "pocket" volume, and the bigger the tolerance to the different ratio values at different radiuses. The maximal possible value of the tilt in "fixed tilt" centrifuges is 45 degrees, however, this tilt is completely impractical because the maximal volume of liquid in the well is equal to the volume of the theoretical "pocket". Higher tilt is possible in the case of "dynamically adjustable tilt" centrifuges (centrifuges in which plate is horizontal in standstill state and "swings out" to a limited position during rotation). In the above given example the angle of the pocket liquid level is 86.1 degrees for the "inner" wells, versus 87.25 degrees for the "outer" walls.

According to one mode of one embodiment of the method of the invention, when the reaction vessels used are one or more arrays of regular wells in a microtiter plate, the rotor of the centrifuge is spun at a speed so that the centrifugal force on the radius of wells closest to the axis of rotation is about 5 to 300 X G, preferably about 10 to 300 X G, and more preferably about 100 to 300 X G; and the angle of tilt of the plate is about 1 to 45, preferably 5 to 20, and more preferably 5 to 15 degrees. According to another mode of this embodiment of the method of the invention, when the reaction vessels used are one or more arrays of microwells in a microtiter plate, the rotor of the centrifuge is spun at a speed so that the centrifugal force on the radius of wells closest to the axis of rotation is about 5 to 300 X G, preferably about 10 to 300 X G, and more preferably about 100 to 300 X G and the angle of tilt of the

plate is about 0 to 25, preferably 0 to 10, and more preferably 0 to 2 degrees.

In one embodiment, the liquid phase is collected on the wall of the centrifuge. In an alternative embodiment, the liquid phase is collected in a "collecting pocket" (5) or a series of "collecting pockets". See generally Figs. 3 and 4 for illustration of the collecting pocket (5).

Figs. 1 (A-B) illustrate sedimentation of solid phase particles in a "pocket" (2) of the vessels and expulsion of liquid achieved according to the method of the invention. Fig 1A illustrates the path of liquid removed from a vessel, such as a well of a microtiter plate by centrifugation. The straight lip (1) at the upper end of each well of the microtiter plate prevents the liquid from entering the well closer to the edge of a centrifugal plate - this well is higher and the lip wall is tilted in the direction to the bottom of the plate. The large arrow represents the vector resulting from centrifugal and gravitational forces. The small arrow with thin trailing line illustrates the direction of the flow of liquid removed from the reaction vessels. Fig. 1B illustrates an alternative embodiment of the invention in which a vessel having a lip facing inward (1') when spun according to the method of the invention "creates" a "pocket" (2) in which the solid phase particles are retained. The left portion of Fig. 1B illustrates the solid phase (3) and liquid phase (4) in the vessel prior to centrifugation. The right portion of Fig. 1B illustrates the pocket (2) containing retained solid phase during spinning (and removal of the liquid).

Fig. 2A generally illustrates the process of the invention in which a single reaction vessel is used.

Fig. 2B generally illustrates the process of the invention in which a microtiter plate serves as the array of reaction vessels.

As detailed above, a single reaction vessel, a single microtiter plate or a plurality of microtiter plates can be used in the process of the present invention. Merely,

for ease of explanation, and not be way of limitation, the description below relates to use of a microtiter plate as an array of reaction vessels. This is in no way intended to limit the process of the invention.

- 5           Slurry of a solid phase support is distributed into the wells of a standard, e.g., polypropylene, microtiter plate either manually, e.g., by multichannel pipetting of nonsedimenting (isopycnic) suspension, or automatically, e.g., by application of the instrument described in Patent
- 10 Application Serial No. 08/815,975 (see Section 5.3.3. "Fluid Slurry Dispensing Means" at pages 58-63, incorporated herein by reference). In the case of isopycnic suspensions, low density solvent is added to effect sedimentation of the solid support, e.g., beads. The microtiter plate is then placed on
- 15 the perimeter of a centrifuge rotor in a tilted position. The tilt for a standard microtiter plate in which each well contains about 5 mg of swollen polymer resin (beads of solid phase) is about not greater than 9 degrees tilting towards the center of the rotation.
- 20           The microtiter plate is attached to the rotor by any means suitable for maintaining the microtiter plate at the proper tilt angle during centrifugation. See Section 5.2., *infra*, for illustrative embodiments, of holders housings, etc. which can be used for attachment of a
- 25 microtiter plate or an array or plurality of microtiter plates to a centrifuge rotor.

          The best way to find optimal solid support load for particular microtiterplate type, type of solid support, and tilt angle is the experiment in which wells of the plate are

30 loaded with higher amount of the resin (approximately 10 mg) and resin is suspended in liquid phase and centrifuged several times. Residual resin weight in individual wells is then determined either directly (weighing) or indirectly (quantitative determination of compound bound to the resin of

35 known capacity).

          The microtiter plate or array of microtiter plates is then spun at a speed so that the solid phase supports

sediment in a "pocket" of the tilted microtiter plate. According to one embodiment, the centrifuge is spun at a speed at which the centrifugal force on the radius corresponding to the wells which are closest to the axis of rotation is significantly greater than the force of gravity, as described above. At this speed, the solid phase supports in the wells sediment in a "pocket" formed by the tilted microtiter plate.

To achieve uniformity of the pocket size, the microtiter plate is preferably placed on the perimeter of a rotor which has a radius which is at least three times the width of a microtiter plate since then the difference in centrifugal force on the wells on the shorter radius versus that force on the wells on the long radius (i.e., the difference in force on the inner and outer wells) will be advantageously small. Liquid volume larger than the "pocket" volume is expelled from the well and travels following the trajectory dictated by the sum of the centrifugal and gravitational force and is collected on the walls of the centrifuge. Alternatively, the expelled liquid is collected in one or more collecting pockets (see, e.g., Figs. 3-4).

One or more wash solution(s) for the combinatorial organic synthetic process are delivered by a multichannel distribution device positioned above the microtiter plate or arrays of microtiter plates. The most preferable arrangement of the centrifuge is a rotor directly coupled to a stepper motor which can be precisely controlled by a computer, and which can position the microtiter plate or arrays of microtiter plates under particular delivery head as needed.

One embodiment of the process/apparatus of the invention for use with an automated system is depicted in Figs. 9(A-C). A round centrifugal plate tilted towards the center is equipped with eight knobs (Fig. 9C) under which the microtiter plate can be slid. Outer edge of the centrifugal plate serves as the positional limitation of the microtiter plate. An alternative placement of the microtiter plates is placement on a swinging holder which can be tilted

and/or released for the full swing - in the latter case the liquid is held inside of the wells of microtiter plate and does not "bump" even when the vacuum is applied. This position can be used for drying the content of the plate or  
5 for pulling down the solid material from the sides of the well after centrifugation in tilted position. Such alternative placement is referred to herein as centrifugation in a "swung-out" mode.

As will be understood by those skilled in the art,  
10 any vessel, array of vessels, or plurality of arrays of vessels, which can be placed in a tilted position on the perimeter of a centrifuge can be used according to the process of the invention to create a "pocket" during centrifugation in which a solid phase can be retained and  
15 from which liquid can be expelled.

As indicated above, reaction vessel arrays useful in one embodiment of the process of this invention comprise various commercially available microtiter-like plates (or a plurality thereof) having arrays of wells. Exemplary of such  
20 commercially available plates are standard microtiter plates with an 85 x 130 mm footprint and having a rectangular array of 96, 384 or more wells. Normal or deep well microtiter plates made of solvent resistant material can be used in this embodiment.

25 After attachment to the rotor of the centrifuge, the microtiter plate is tilted by adjustment of the swivel of the holding plate.

The angle of the tilt depends on the amount of the solid support in each of the wells. The optimal tilt is such  
30 that only swollen solid remains in the well and basically all liquid is expelled. In one mode of the process, after stopping the rotation, the swinging holding plate swings back to parallel position and microtiter plate is placed (rotor is turned) under the multichannel liquid delivery head. The  
35 wash solvent is delivered, the tilt limiting mechanism is released, and the plate is rotated at a high speed to assure

that the solid phase is transferred from the "pocket" onto the bottom of each well of the microtiter plate.

In an alternative mode, the tilt limiting mechanism is not released and the rotor is spun at the speed at which the liquid phase is just reaching the edge of the well, thus wetting all solid support in the "pocket". This speed can be determined experimentally by slowly increasing the centrifuge speed and following the level of liquid by observation under stroboscopic light synchronized to the rotation speed.

Microtiter plates are optionally stirred by oscillating between the slow rotation and rotation at the speed close but lower than the "highest allowable speed still not spilling the liquid" (HASSNSL), or by stepping the stepper motor back and forth in a fast succession. After shaking, the tilt limitation is kept and plates are spun at the high speed.

The whole process is repeated as many times as many washes are required. In the case of multilayered arrangement, (see, e.g., Figs. 5 A and B) or array of microtiter plates, the multichannel distributor is inserted individually along each layer of microtiter plate and liquid is delivered in several stages. Alternatively, the multilayered delivery system can be used. After the last wash, the microtiter plate can be centrifuged in vacuum to remove the last portions of the washing solvent. After stopping and proper positioning the building blocks can be delivered into, this now parallelly positioned, or still tilted, microtiter plate by pipetting from stock solutions, by direct delivery from syringes used for storage of building blocks, or by ink-jet systems. Plates can than be stoppered either by compliant sheet like material (teflon coated silicon rubber sheets) pressed against the plates in a form a complementary "cover rotor" (see Figs. 7A and B), or by application of individual plate covers in shape of inert (teflon) balls in flexible arrays (see, e.g., Patent Application Serial No. 08/815,975 Section 5.2.2 "Microtiter-Style Reaction Vessels" at pages 30-34 incorporated herein by

reference. The closed microtiter plates can then be placed on a shaker or in an oven for high temperature incubation. The whole operation of washing and building block addition can be performed in a centrifuge completely closed and filled  
5 with an inert atmosphere, thus allowing to perform highly air or moisture sensitive reactions.

## 5.2. APPARATUS

The apparatus of the invention comprises a  
10 holder(s) adapted to attaching a microtiter plate or a plurality of microtiter plates to a rotor of a centrifuge in a tilted arrangement. The holder(s) may either hold one or more of the microtiter plates in a fixed tilted position or in a position in which the angle of tilt can be changed  
15 flexibly. The holders adapted to attaching a microtiter plate to a centrifuge rotor can have or comprise a series of collecting pockets (5) to collect and retain the liquid expelled from the vessels during centrifugation. See, for example, Figs. 3A, B, E, F and Fig. 4 which illustrate the  
20 collecting pockets (5). The holder(s) illustrated by Fig. 3E, for example, comprise(s) one or more indentations or groves designated "collecting pockets" having a volume sufficient to collect and retain any liquid expelled from the wells of the microtiter plate(s) when the holder and attached  
25 microtiter plate are spun by the centrifuge rotor.

In an alternative embodiment, the holder does not have collecting pockets. In the latter situation, the liquid expelled is deposited on the walls of the centrifuge.

As indicated above, (see Figs. 3A-3F), a single  
30 layer of microtiter plates can be attached by means of holders to the centrifuge rotor. Placing of individual microtiter plates on the centrifuge perimeter has an advantage of simple interfacing with liquid distribution automats (such as Packard Canberra, Tecan, Hamilton, and  
35 others).

Figs. 6(A-C) illustrate an integrated device in which a liquid distribution device is placed onto the top of

a centrifugal synthesizer. The integrated device is useful as a "centrifugation synthesizer" for solid phase synthetic processes.

According to an alternative embodiment, a multi-layered array of microtiter plates can be attached by means of holders to the centrifuge rotor. Any convenient means for holding the multi-layered array(s) of microtiter plates to the rotor can be used.

Figs. 5 (A-D) illustrate placement of a plurality of microtiter plates in housings, in which each microtiter plate can be slipped in along "rails" to position it inside the housing attached to a centrifuge rotor in a tilted position. As shown, four microtiter plates can be positioned in four housings, thus holding 16 microtiter plates in a tilted position on the rotor.

Figs. 5A and B show a centrifuge rotor with four closed boxes (housings (7)) which can house four plates each. Closing of boxes is realized by a detachable retainer wall (8) with hollow "shoe" (9) in which the liquid removed during centrifugation resides after centrifugation stops. Fig. 5C shows four plates in the box and 5D illustrates the plate tilt.

Figs. 9 (A-C) illustrate a centrifuge built according to the present invention as a centrifuge-based solid phase synthetic apparatus. The system has an integrated 96 channel liquid distribution system. Fig. 9A shows a centrifuge useful as a solid phase synthesizer in which tilted plates are centrifuged. This centrifuge has a rotor of a diameter 25 cm, on the perimeter of which are placed eight microtiterplates in permanent tilt of 9 degrees. The centrifuge is integrated with a 96 channel liquid distributor which can deliver solvent or solution of reagent from six different bottles into the plate positioned under the needles of the distributor. Fig. 9B shows the rotor of the centrifuge and Fig. 9C shows the detail of the microtiterplate attachment to the rotor.



### 5.3. APPLICATIONS

The methods and apparatus of the present invention are advantageously useful for the manual or automated preparation of combinatorial libraries or megaarrays of compounds by solid phase organic synthesis. As is well known to those skilled in the art, such combinatorial libraries or megaarrays have numerous uses, in particular, for the selection of pharmaceutical lead compounds, for the optimization of pharmaceutical lead compounds and for the identification and/or isolation of pharmaceutical drugs. The methods and apparatus of the invention for liquid/solid phase separation can also advantageously be used for applications in analytical chemistry, biochemistry, screening libraries etc.

The invention is further described by way of the following illustrative examples which are in no way intended to limit the scope of the invention.

#### 6. EXAMPLE: REMOVAL OF LIQUID PHASE WITHOUT TRANSFER OF SOLID PHASE

A slurry of a solid phase support, i.e., 3 mg of resin beads in 100  $\mu$ l of dimethylformamide (DMF), was distributed into a row (row H) of wells of a standard polypropylene microtiter plate. All other rows of wells of the microtiter plate were left empty. The microtiter plate was placed on the perimeter of a rotor, of a centrifuge, attached to a stepper motor using a holding plate. The radius of the centrifuge rotor was 20 cm. The swivel of the holding plate was adjusted so that the tilt could not reach more than about 9 degrees. The rotor was rotated at a speed of 350 rpms. All the liquid phase was expelled from the wells originally containing the slurry.

After an initial centrifugal removal of the liquid phase from the microtiter plate wells, the process of adding a solvent to certain wells of row H and removing the liquid phase centrifugally was repeated twenty times and a

dissecting microscope was used to verify the removal of liquid phase.

Fig. 8A demonstrates that there was no transfer of solid phase, i.e., resin particles, from the wells originally containing the slurry of solid phase supports to the originally empty wells although the liquid phase was removed from the wells, even when the empty wells were positioned on the outer perimeter of the rotor and the originally "filled" wells were positioned closer to the center of rotation.

Fig. 8B illustrates the same experiment in which the only difference was the amount of resin (12 mg) placed in individual wells. Even though the pocket could not retain all the resin during centrifugation, none of the resin beads was transferred to an adjacent well. The resin landed in the "inter-well" space.

Fig. 8C further illustrates the situation when the pocket could not retain all the resin. In another experiment, the plate was loaded by resin only in the first row and the amounts of the resin were different in each well (from the left: 1, 1, 2, 2, 3, 3, 4, 5, 6, 7, 8, 9 mg). The trailings of resin from wells loaded with more than 5 mg are clearly visible in the detailed picture, however, even in this case there were no beads found inside of any other well but the wells in the first row.

#### 7. EXAMPLE: SYNTHESIS OF AN ARRAY OF 380 TETRAHYDROISOQUINOLINONES

The following example illustrates the use of the apparatus and method for separation of liquid and solid in on solid phase synthesis.

Four shallow well microtiter plates were filled with TentaGel S-RAM resin (100-200 mesh, 0.24 mmol/g, Rapp Polymere, Tübingen, Germany) 3 mg per well, DMF slurry, distributed by a 12 channel pipettor. Microtiter plates were placed on the centrifuge rotor in a tilted position (9 degree tilt) and solvent was removed by centrifugation at 350 rpm. Prior to the distribution, the resin was colorized by the

addition of bromophenol blue solution (5 drops of 0.1% solution). Solutions of Fmoc protected amino acids (see Table 1 for amino acids used) in dimethylformamide (50  $\mu$ l of 0.2 M solution) containing N-hydroxybenzotriazole (0.2M) were delivered into individual wells of the microtiter plate by 8 channel pipettor. Diisopropylcarbodiimide was added into the amino acid solution to form 0.2 M solution just prior to the distribution into the wells.

10

15

20

25

30

35

Table 1.  
List of synthesized compounds  
(A is Plate Number)  
(R3 is always Aminoethylpyrrolidine)

5	1	A1	Gly	Benzaldehyde
	1	B1	Gly	1,4- Benzodioxan-6-carboxaldehyde
	1	C1	Gly	1-Methylindole-3-carboxaldehyde
	1	D1	Gly	2,3-Difluorobenzaldehyde
	1	E1	Gly	2-Bromobenzaldehyde
10	1	F1	Gly	2-Chloro-5-nitrobenzaldehyde
	1	G1	Gly	2-Furaldehyde
	1	H1	Gly	2-Imidazolecarboxaldehyde
	1	A2	Gly	2-Naphthaldehyde
	1	B2	Gly	2-Pyridinecarboxaldehyde
15	1	C2	Gly	2-Thiophenecarboxaldehyde
	1	D2	Gly	3,4-Dichlorobenzaldehyde
	1	E2	Gly	3,5-Bis(trifluoromethyl)benzaldehyde
	1	F2	Gly	3,5-Dihydroxybenzaldehyde
	1	G2	Gly	3,5-Dimethoxybenzaldehyde
20	1	H2	Gly	3,5-Dimethyl-4-hydroxybenzaldehyde
	1	A3	Gly	3-(4-Methoxyphenoxy)benzaldehyde
	1	B3	Gly	3-Furaldehyde
	1	C3	Gly	3-Hydroxybenzaldehyde
	1	D3	Gly	3-Methyl-4-methoxybenzaldehyde
25	1	E3	Gly	3-Methylbenzaldehyde
	1	F3	Gly	3-Nitrobenzaldehyde
	1	G3	Gly	3-Pyridinecarboxaldehyde
	1	H3	Gly	3-Thiophenecarboxaldehyde
	1	A4	Gly	4-(3-Dimethylaminopropoxy)benzaldehyde
30	1	B4	Gly	4-(Dimethylamino)benzaldehyde
	1	C4	Gly	4-(Methylthio)benzaldehyde

	R <sup>1</sup>	R <sup>2</sup>	R <sup>3</sup>	R <sup>4</sup>	R <sup>5</sup>	R <sup>6</sup>	R <sup>7</sup>	R <sup>8</sup>	R <sup>9</sup>	R <sup>10</sup>	R <sup>11</sup>	R <sup>12</sup>	R <sup>13</sup>	R <sup>14</sup>	R <sup>15</sup>	R <sup>16</sup>	R <sup>17</sup>	R <sup>18</sup>	R <sup>19</sup>	R <sup>20</sup>	R <sup>21</sup>	R <sup>22</sup>	R <sup>23</sup>	R <sup>24</sup>	R <sup>25</sup>	R <sup>26</sup>	R <sup>27</sup>	R <sup>28</sup>	R <sup>29</sup>	R <sup>30</sup>	R <sup>31</sup>	R <sup>32</sup>	R <sup>33</sup>	R <sup>34</sup>	R <sup>35</sup>	R <sup>36</sup>	R <sup>37</sup>	R <sup>38</sup>	R <sup>39</sup>	R <sup>40</sup>	R <sup>41</sup>	R <sup>42</sup>	R <sup>43</sup>	R <sup>44</sup>	R <sup>45</sup>	R <sup>46</sup>	R <sup>47</sup>	R <sup>48</sup>	R <sup>49</sup>	R <sup>50</sup>	R <sup>51</sup>	R <sup>52</sup>	R <sup>53</sup>	R <sup>54</sup>	R <sup>55</sup>	R <sup>56</sup>	R <sup>57</sup>	R <sup>58</sup>	R <sup>59</sup>	R <sup>60</sup>	R <sup>61</sup>	R <sup>62</sup>	R <sup>63</sup>	R <sup>64</sup>	R <sup>65</sup>	R <sup>66</sup>	R <sup>67</sup>	R <sup>68</sup>	R <sup>69</sup>	R <sup>70</sup>	R <sup>71</sup>	R <sup>72</sup>	R <sup>73</sup>	R <sup>74</sup>	R <sup>75</sup>	R <sup>76</sup>	R <sup>77</sup>	R <sup>78</sup>	R <sup>79</sup>	R <sup>80</sup>	R <sup>81</sup>	R <sup>82</sup>	R <sup>83</sup>	R <sup>84</sup>	R <sup>85</sup>	R <sup>86</sup>	R <sup>87</sup>	R <sup>88</sup>	R <sup>89</sup>	R <sup>90</sup>	R <sup>91</sup>	R <sup>92</sup>	R <sup>93</sup>	R <sup>94</sup>	R <sup>95</sup>	R <sup>96</sup>	R <sup>97</sup>	R <sup>98</sup>	R <sup>99</sup>	R <sup>100</sup>	R <sup>101</sup>	R <sup>102</sup>	R <sup>103</sup>	R <sup>104</sup>	R <sup>105</sup>	R <sup>106</sup>	R <sup>107</sup>	R <sup>108</sup>	R <sup>109</sup>	R <sup>110</sup>	R <sup>111</sup>	R <sup>112</sup>	R <sup>113</sup>	R <sup>114</sup>	R <sup>115</sup>	R <sup>116</sup>	R <sup>117</sup>	R <sup>118</sup>	R <sup>119</sup>	R <sup>120</sup>	R <sup>121</sup>	R <sup>122</sup>	R <sup>123</sup>	R <sup>124</sup>	R <sup>125</sup>	R <sup>126</sup>	R <sup>127</sup>	R <sup>128</sup>	R <sup>129</sup>	R <sup>130</sup>	R <sup>131</sup>	R <sup>132</sup>	R <sup>133</sup>	R <sup>134</sup>	R <sup>135</sup>	R <sup>136</sup>	R <sup>137</sup>	R <sup>138</sup>	R <sup>139</sup>	R <sup>140</sup>	R <sup>141</sup>	R <sup>142</sup>	R <sup>143</sup>	R <sup>144</sup>	R <sup>145</sup>	R <sup>146</sup>	R <sup>147</sup>	R <sup>148</sup>	R <sup>149</sup>	R <sup>150</sup>	R <sup>151</sup>	R <sup>152</sup>	R <sup>153</sup>	R <sup>154</sup>	R <sup>155</sup>	R <sup>156</sup>	R <sup>157</sup>	R <sup>158</sup>	R <sup>159</sup>	R <sup>160</sup>	R <sup>161</sup>	R <sup>162</sup>	R <sup>163</sup>	R <sup>164</sup>	R <sup>165</sup>	R <sup>166</sup>	R <sup>167</sup>	R <sup>168</sup>	R <sup>169</sup>	R <sup>170</sup>	R <sup>171</sup>	R <sup>172</sup>	R <sup>173</sup>	R <sup>174</sup>	R <sup>175</sup>	R <sup>176</sup>	R <sup>177</sup>	R <sup>178</sup>	R <sup>179</sup>	R <sup>180</sup>	R <sup>181</sup>	R <sup>182</sup>	R <sup>183</sup>	R <sup>184</sup>	R <sup>185</sup>	R <sup>186</sup>	R <sup>187</sup>	R <sup>188</sup>	R <sup>189</sup>	R <sup>190</sup>	R <sup>191</sup>	R <sup>192</sup>	R <sup>193</sup>	R <sup>194</sup>	R <sup>195</sup>	R <sup>196</sup>	R <sup>197</sup>	R <sup>198</sup>	R <sup>199</sup>	R <sup>200</sup>	R <sup>201</sup>	R <sup>202</sup>	R <sup>203</sup>	R <sup>204</sup>	R <sup>205</sup>	R <sup>206</sup>	R <sup>207</sup>	R <sup>208</sup>	R <sup>209</sup>	R <sup>210</sup>	R <sup>211</sup>	R <sup>212</sup>	R <sup>213</sup>	R <sup>214</sup>	R <sup>215</sup>	R <sup>216</sup>	R <sup>217</sup>	R <sup>218</sup>	R <sup>219</sup>	R <sup>220</sup>	R <sup>221</sup>	R <sup>222</sup>	R <sup>223</sup>	R <sup>224</sup>	R <sup>225</sup>	R <sup>226</sup>	R <sup>227</sup>	R <sup>228</sup>	R <sup>229</sup>	R <sup>230</sup>	R <sup>231</sup>	R <sup>232</sup>	R <sup>233</sup>	R <sup>234</sup>	R <sup>235</sup>	R <sup>236</sup>	R <sup>237</sup>	R <sup>238</sup>	R <sup>239</sup>	R <sup>240</sup>	R <sup>241</sup>	R <sup>242</sup>	R <sup>243</sup>	R <sup>244</sup>	R <sup>245</sup>	R <sup>246</sup>	R <sup>247</sup>	R <sup>248</sup>	R <sup>249</sup>	R <sup>250</sup>	R <sup>251</sup>	R <sup>252</sup>	R <sup>253</sup>	R <sup>254</sup>	R <sup>255</sup>	R <sup>256</sup>	R <sup>257</sup>	R <sup>258</sup>	R <sup>259</sup>	R <sup>260</sup>	R <sup>261</sup>	R <sup>262</sup>	R <sup>263</sup>	R <sup>264</sup>	R <sup>265</sup>	R <sup>266</sup>	R <sup>267</sup>	R <sup>268</sup>	R <sup>269</sup>	R <sup>270</sup>	R <sup>271</sup>	R <sup>272</sup>	R <sup>273</sup>	R <sup>274</sup>	R <sup>275</sup>	R <sup>276</sup>	R <sup>277</sup>	R <sup>278</sup>	R <sup>279</sup>	R <sup>280</sup>	R <sup>281</sup>	R <sup>282</sup>	R <sup>283</sup>	R <sup>284</sup>	R <sup>285</sup>	R <sup>286</sup>	R <sup>287</sup>	R <sup>288</sup>	R <sup>289</sup>	R <sup>290</sup>	R <sup>291</sup>	R <sup>292</sup>	R <sup>293</sup>	R <sup>294</sup>	R <sup>295</sup>	R <sup>296</sup>	R <sup>297</sup>	R <sup>298</sup>	R <sup>299</sup>	R <sup>300</sup>	R <sup>301</sup>	R <sup>302</sup>	R <sup>303</sup>	R <sup>304</sup>	R <sup>305</sup>	R <sup>306</sup>	R <sup>307</sup>	R <sup>308</sup>	R <sup>309</sup>	R <sup>310</sup>	R <sup>311</sup>	R <sup>312</sup>	R <sup>313</sup>	R <sup>314</sup>	R <sup>315</sup>	R <sup>316</sup>	R <sup>317</sup>	R <sup>318</sup>	R <sup>319</sup>	R <sup>320</sup>	R <sup>321</sup>	R <sup>322</sup>	R <sup>323</sup>	R <sup>324</sup>	R <sup>325</sup>	R <sup>326</sup>	R <sup>327</sup>	R <sup>328</sup>	R <sup>329</sup>	R <sup>330</sup>	R <sup>331</sup>	R <sup>332</sup>	R <sup>333</sup>	R <sup>334</sup>	R <sup>335</sup>	R <sup>336</sup>	R <sup>337</sup>	R <sup>338</sup>	R <sup>339</sup>	R <sup>340</sup>	R <sup>341</sup>	R <sup>342</sup>	R <sup>343</sup>	R <sup>344</sup>	R <sup>345</sup>	R <sup>346</sup>	R <sup>347</sup>	R <sup>348</sup>	R <sup>349</sup>	R <sup>350</sup>	R <sup>351</sup>	R <sup>352</sup>	R <sup>353</sup>	R <sup>354</sup>	R <sup>355</sup>	R <sup>356</sup>	R <sup>357</sup>	R <sup>358</sup>	R <sup>359</sup>	R <sup>360</sup>	R <sup>361</sup>	R <sup>362</sup>	R <sup>363</sup>	R <sup>364</sup>	R <sup>365</sup>	R <sup>366</sup>	R <sup>367</sup>	R <sup>368</sup>	R <sup>369</sup>	R <sup>370</sup>	R <sup>371</sup>	R <sup>372</sup>	R <sup>373</sup>	R <sup>374</sup>	R <sup>375</sup>	R <sup>376</sup>	R <sup>377</sup>	R <sup>378</sup>	R <sup>379</sup>	R <sup>380</sup>	R <sup>381</sup>	R <sup>382</sup>	R <sup>383</sup>	R <sup>384</sup>	R <sup>385</sup>	R <sup>386</sup>	R <sup>387</sup>	R <sup>388</sup>	R <sup>389</sup>	R <sup>390</sup>	R <sup>391</sup>	R <sup>392</sup>	R <sup>393</sup>	R <sup>394</sup>	R <sup>395</sup>	R <sup>396</sup>	R <sup>397</sup>	R <sup>398</sup>	R <sup>399</sup>	R <sup>400</sup>	R <sup>401</sup>	R <sup>402</sup>	R <sup>403</sup>	R <sup>404</sup>	R <sup>405</sup>	R <sup>406</sup>	R <sup>407</sup>	R <sup>408</sup>	R <sup>409</sup>	R <sup>410</sup>	R <sup>411</sup>	R <sup>412</sup>	R <sup>413</sup>	R <sup>414</sup>	R <sup>415</sup>	R <sup>416</sup>	R <sup>417</sup>	R <sup>418</sup>	R <sup>419</sup>	R <sup>420</sup>	R <sup>421</sup>	R <sup>422</sup>	R <sup>423</sup>	R <sup>424</sup>	R <sup>425</sup>	R <sup>426</sup>	R <sup>427</sup>	R <sup>428</sup>	R <sup>429</sup>	R <sup>430</sup>	R <sup>431</sup>	R <sup>432</sup>	R <sup>433</sup>	R <sup>434</sup>	R <sup>435</sup>	R <sup>436</sup>	R <sup>437</sup>	R <sup>438</sup>	R <sup>439</sup>	R <sup>440</sup>	R <sup>441</sup>	R <sup>442</sup>	R <sup>443</sup>	R <sup>444</sup>	R <sup>445</sup>	R <sup>446</sup>	R <sup>447</sup>	R <sup>448</sup>	R <sup>449</sup>	R <sup>450</sup>	R <sup>451</sup>	R <sup>452</sup>	R <sup>453</sup>	R <sup>454</sup>	R <sup>455</sup>	R <sup>456</sup>	R <sup>457</sup>	R <sup>458</sup>	R <sup>459</sup>	R <sup>460</sup>	R <sup>461</sup>	R <sup>462</sup>	R <sup>463</sup>	R <sup>464</sup>	R <sup>465</sup>	R <sup>466</sup>	R <sup>467</sup>	R <sup>468</sup>	R <sup>469</sup>	R <sup>470</sup>	R <sup>471</sup>	R <sup>472</sup>	R <sup>473</sup>	R <sup>474</sup>	R <sup>475</sup>	R <sup>476</sup>	R <sup>477</sup>	R <sup>478</sup>	R <sup>479</sup>	R <sup>480</sup>	R <sup>481</sup>	R <sup>482</sup>	R <sup>483</sup>	R <sup>484</sup>	R <sup>485</sup>	R <sup>486</sup>	R <sup>487</sup>	R <sup>488</sup>	R <sup>489</sup>	R <sup>490</sup>	R <sup>491</sup>	R <sup>492</sup>	R <sup>493</sup>	R <sup>494</sup>	R <sup>495</sup>	R <sup>496</sup>	R <sup>497</sup>	R <sup>498</sup>	R <sup>499</sup>	R <sup>500</sup>	R <sup>501</sup>	R <sup>502</sup>	R <sup>503</sup>	R <sup>504</sup>	R <sup>505</sup>	R <sup>506</sup>	R <sup>507</sup>	R <sup>508</sup>	R <sup>509</sup>	R <sup>510</sup>	R <sup>511</sup>	R <sup>512</sup>	R <sup>513</sup>	R <sup>514</sup>	R <sup>515</sup>	R <sup>516</sup>	R <sup>517</sup>	R <sup>518</sup>	R <sup>519</sup>	R <sup>520</sup>	R <sup>521</sup>	R <sup>522</sup>	R <sup>523</sup>	R <sup>524</sup>	R <sup>525</sup>	R <sup>526</sup>	R <sup>527</sup>	R <sup>528</sup>	R <sup>529</sup>	R <sup>530</sup>	R <sup>531</sup>	R <sup>532</sup>	R <sup>533</sup>	R <sup>534</sup>	R <sup>535</sup>	R <sup>536</sup>	R <sup>537</sup>	R <sup>538</sup>	R <sup>539</sup>	R <sup>540</sup>	R <sup>541</sup>	R <sup>542</sup>	R <sup>543</sup>	R <sup>544</sup>	R <sup>545</sup>	R <sup>546</sup>	R <sup>547</sup>	R <sup>548</sup>	R <sup>549</sup>	R <sup>550</sup>	R <sup>551</sup>	R <sup>552</sup>	R <sup>553</sup>	R <sup>554</sup>	R <sup>555</sup>	R <sup>556</sup>	R <sup>557</sup>	R <sup>558</sup>	R <sup>559</sup>	R <sup>560</sup>	R <sup>561</sup>	R <sup>562</sup>	R <sup>563</sup>	R <sup>564</sup>	R <sup>565</sup>	R <sup>566</sup>	R <sup>567</sup>	R <sup>568</sup>	R <sup>569</sup>	R <sup>570</sup>	R <sup>571</sup>	R <sup>572</sup>	R <sup>573</sup>	R <sup>574</sup>	R <sup>575</sup>	R <sup>576</sup>	R <sup>577</sup>	R <sup>578</sup>	R <sup>579</sup>	R <sup>580</sup>	R <sup>581</sup>	R <sup>582</sup>	R <sup>583</sup>	R <sup>584</sup>	R <sup>585</sup>	R <sup>586</sup>	R <sup>587</sup>	R <sup>588</sup>	R <sup>589</sup>	R <sup>590</sup>	R <sup>591</sup>	R <sup>592</sup>	R <sup>593</sup>	R <sup>594</sup>	R <sup>595</sup>	R <sup>596</sup>	R <sup>597</sup>	R <sup>598</sup>	R <sup>599</sup>	R <sup>600</sup>	R <sup>601</sup>	R <sup>602</sup>	R <sup>603</sup>	R <sup>604</sup>	R <sup>605</sup>	R <sup>606</sup>	R <sup>607</sup>	R <sup>608</sup>	R <sup>609</sup>	R <sup>610</sup>	R <sup>611</sup>	R <sup>612</sup>	R <sup>613</sup>	R <sup>614</sup>	R <sup>615</sup>	R <sup>616</sup>	R <sup>617</sup>	R <sup>618</sup>	R <sup>619</sup>	R <sup>620</sup>	R <sup>621</sup>	R <sup>622</sup>	R <sup>623</sup>	R <sup>624</sup>	R <sup>625</sup>	R <sup>626</sup>	R <sup>627</sup>	R <sup>628</sup>	R <sup>629</sup>	R <sup>630</sup>	R <sup>631</sup>	R <sup>632</sup>	R <sup>633</sup>	R <sup>634</sup>	R <sup>635</sup>	R <sup>636</sup>	R <sup>637</sup>	R <sup>638</sup>	R <sup>639</sup>	R <sup>640</sup>	R <sup>641</sup>	R <sup>642</sup>	R <sup>643</sup>	R <sup>644</sup>	R <sup>645</sup>	R <sup>646</sup>	R <sup>647</sup>	R <sup>648</sup>	R <sup>649</sup>	R <sup>650</sup>	R <sup>651</sup>	R <sup>652</sup>	R <sup>653</sup>	R <sup>654</sup>	R <sup>655</sup>	R <sup>656</sup>	R <sup>657</sup>	R <sup>658</sup>	R <sup>659</sup>	R <sup>660</sup>	R <sup>661</sup>	R <sup>662</sup>	R <sup>663</sup>	R <sup>664</sup>	R <sup>665</sup>	R <sup>666</sup>	R <sup>667</sup>	R <sup>668</sup>	R <sup>669</sup>	R <sup>670</sup>	R <sup>671</sup>	R <sup>672</sup>	R <sup>673</sup>	R <sup>674</sup>	R <sup>675</sup>	R <sup>676</sup>	R <sup>677</sup>	R <sup>678</sup>	R <sup>679</sup>	R <sup>680</sup>	R <sup>681</sup>	R <sup>682</sup>	R <sup>683</sup>	R <sup>684</sup>	R <sup>685</sup>	R <sup>686</sup>	R <sup>687</sup>	R <sup>688</sup>	R <sup>689</sup>	R <sup>690</sup>	R <sup>691</sup>	R <sup>692</sup>	R <sup>693</sup>	R <sup>694</sup>	R <sup>695</sup>	R <sup>696</sup>	R <sup>697</sup>	R <sup>698</sup>	R <sup>699</sup>	R <sup>700</sup>	R <sup>701</sup>	R <sup>702</sup>	R <sup>703</sup>	R <sup>704</sup>	R <sup>705</sup>	R <sup>706</sup>	R <sup>707</sup>	R <sup>708</sup>	R <sup>709</sup>	R <sup>710</sup>	R <sup>711</sup>	R <sup>712</sup>	R <sup>713</sup>	R <sup>714</sup>	R <sup>715</sup>	R <sup>716</sup>	R <sup>717</sup>	R <sup>718</sup>	R <sup>719</sup>	R <sup>720</sup>	R <sup>721</sup>	R <sup>722</sup>	R <sup>723</sup>	R <sup>724</sup>	R <sup>725</sup>	R <sup>726</sup>	R <sup>727</sup>	R <sup>728</sup>	R <sup>729</sup>	R <sup>730</sup>	R <sup>731</sup>	R <sup>732</sup>	R <sup>733</sup>	R <sup>734</sup>	R <sup>735</sup>	R <sup>736</sup>	R <sup>737</sup>	R <sup>738</sup>	R <sup>739</sup>	R <sup>740</sup>	R <sup>741</sup>	R <sup>742</sup>	R <sup>743</sup>	R <sup>744</sup>	R <sup>745</sup>	R <sup>746</sup>	R <sup>747</sup>	R <sup>748</sup>	R <sup>749</sup>	R <sup>750</sup>	R <sup>751</sup>	R <sup>752</sup>	R <sup>753</sup>	R <sup>754</sup>	R <sup>755</sup>	R <sup>756</sup>	R <sup>757</sup>	R <sup>758</sup>	R <sup>759</sup>	R <sup>760</sup>	R <sup>761</sup>	R <sup>762</sup>	R <sup>763</sup>	R <sup>764</sup>	R <sup>765</sup>	R <sup>766</sup>	R <sup>767</sup>	R <sup>768</sup>	R <sup>769</sup>	R <sup>770</sup>	R <sup>771</sup>	R <sup>772</sup>	R <sup>773</sup>	R <sup>774</sup>	R <sup>775</sup>	R <sup>776</sup>	R <sup>777</sup>	R <sup>778</sup>	R <sup>779</sup>	R <sup>780</sup>	R <sup>781</sup>	R <sup>782</sup>	R <sup>783</sup>	R <sup>784</sup>	R <sup>785</sup>	R <sup>786</sup>	R <sup>787</sup>	R <sup>788</sup>	R <sup>789</sup>	R <sup>790</sup>	R <sup>791</sup>	R <sup>792</sup>	R <sup>793</sup>	R <sup>794</sup>	R <sup>795</sup>	R <sup>796</sup>	R <sup>797</sup>	R <sup>798</sup>	R <sup>799</sup>	R <sup>800</sup>	R <sup>801</sup>	R <sup>802</sup>	R <sup>803</sup>	R <sup>804</sup>	R <sup>805</sup>	R <sup>806</sup>	R <sup>807</sup>	R <sup>808</sup>	R <sup>809</sup>	R <sup>810</sup>	R <sup>811</sup>	R <sup>812</sup>	R <sup>813</sup>	R <sup>814</sup>	R <sup>815</sup>	R <sup>816</sup>	R <sup>817</sup>	R <sup>818</sup>	R <sup>819</sup>	R <sup>820</sup>	R <sup>821</sup>	R <sup>822</sup>	R <sup>823</sup>	R <sup>824</sup>	R <sup>825</sup>	R <sup>826</sup>	R <sup>827</sup>	R <sup>828</sup>	R <sup>829</sup>	R <sup>830</sup>	R <sup>831</sup>	R <sup>832</sup>	R <sup>833</sup>	R <sup>834</sup>	R <sup>835</sup>	R <sup>836</sup>	R <sup>837</sup>	R <sup>838</sup>	R <sup>839</sup>	R <sup>840</sup>	R <sup>841</sup>	R <sup>842</sup>	R <sup>843</sup>	R <sup>844</sup>	R <sup>845</sup>	R <sup>846</sup>	R <sup>847</sup>	R <sup>848</sup>	R <sup>849</sup>	R <sup>850</sup>	R <sup>851</sup>	R <sup>852</sup>	R <sup>853</sup>	R <sup>854</sup>	R <sup>855</sup>	R <sup>856</sup>	R <sup>857</sup>	R <sup>858</sup>	R <sup>859</sup>	R <sup>860</sup>	R <sup>861</sup>	R <sup>862</sup>	R <sup>863</sup>	R <sup>864</sup>	R <sup>865</sup>	R <sup>866</sup>	R <sup>867</sup>	R <sup>868</sup>	R <sup>869</sup>	R <sup>870</sup>	R <sup>871</sup>	R <sup>872</sup>	R <sup>873</sup>	R <sup>874</sup>	R <sup>875</sup>	R <sup>876</sup>	R <sup>877</sup>	R <sup>878</sup>	R <sup>879</sup>	R <sup>880</sup>	R <sup>881</sup>	R <sup>882</sup>	R <sup>883</sup>	R <sup>884</sup>	R <sup>885</sup>	R <sup>886</sup>	R <sup>887</sup>	R <sup>888</sup>	R <sup>889</sup>	R <sup>890</sup>	R <sup>891</sup>	R <sup>892</sup>	R <sup>893</sup>	R <sup>894</sup>	R <sup>895</sup>	R <sup>896</sup>	R <sup>897</sup>	R <sup>898</sup>	R <sup>899</sup>	R <sup>900</sup>	R <sup>901</sup>	R <sup>902</sup>	R <sup>903</sup>	R <sup>904</sup>	R <sup>905</sup>	R <sup>906</sup>	R <sup>907</sup>	R <sup>908</sup>	R <sup>909</sup>	R <sup>910</sup>	R <sup>911</sup>	R <sup>912</sup>	R <sup>913</sup>	R <sup>914</sup>	R <sup>915</sup>	R <sup>916</sup>	R <sup>917</sup>	R <sup>918</sup>	R <sup>919</sup>	R <sup>920</sup>	R <sup>921</sup>	R <sup>922</sup>	R <sup>923</sup>	R <sup>924</sup>	R <sup>925</sup>	R <sup>926</sup>	R <sup>927</sup>	R <sup>928</sup>	R <sup>929</sup>	R <sup>930</sup>	R <sup>931</sup>	R <sup>932</sup>	R <sup>933</sup>	R <sup>934</sup>	R <sup>935</sup>	R <sup>936</sup>	R <sup>937</sup>	R <sup>938</sup>	R <sup>939</sup>	R <sup>940</sup>	R <sup>941</sup>	R <sup>942</sup>	R <sup>943</sup>	R <sup>944</sup>	R <sup>945</sup>	R <sup>946</sup>	R <sup>947</sup>	R <sup>948</sup>	R <sup>949</sup>	R <sup>950</sup>	R <sup>951</sup>	R <sup>952</sup>	R <sup>953</sup>	R <sup>954</sup>	R <sup>955</sup>	R <sup>956</sup>	R <sup>957</sup>	R <sup>958</sup>	R <sup>959</sup>	R <sup>960</sup>	R
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	---

	AMINO ACID	AMINO ACID	ALDEHYDE	
5	1	C8	3-Aminopropionic	3-Methylbenzaldehyde
	1	D8	3-Aminopropionic	3-Nitrobenzaldehyde
	1	E8	3-Aminopropionic	3-Pyridinecarboxaldehyde
	1	F8	3-Aminopropionic	3-Thiophenecarboxaldehyde
	1	G8	3-Aminopropionic	4-(3-Dimethylaminopropoxy)benzaldehyde
10	1	H8	3-Aminopropionic	4-(Dimethylamino)benzaldehyde
	1	A9	3-Aminopropionic	4-(Methylthio)benzaldehyde
	1	B9	3-Aminopropionic	4-(Trifluoromethyl)benzaldehyde
	1	C9	3-Aminopropionic	4-Biphenylcarboxaldehyde
	1	D9	3-Aminopropionic	4-Bromo-2-thiophenecarboxaldehyde
15	1	E9	3-Aminopropionic	4-Cyanobenzaldehyde
	1	F9	3-Aminopropionic	4-Methoxy-1-naphthaldehyde
	1	G9	3-Aminopropionic	4-Nitrobenzaldehyde
	1	H9	3-Aminopropionic	4-Pyridinecarboxaldehyde
	1	A10	3-Aminopropionic	5-(Hydroxymethyl)-2-furaldehyde
20	1	B10	3-Aminopropionic	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
	1	C10	3-Aminopropionic	5-Nitro-2-furaldehyde
	1	D10	3-Aminopropionic	6-Methyl-2-pyridinecarboxaldehyde
	1	E10	5-Aminopentanoic	Benzaldehyde
	1	F10	5-Aminopentanoic	1,4-Benzodioxan-6-carboxaldehyde
25	1	G10	5-Aminopentanoic	1-Methylindole-3-carboxaldehyde
	1	H10	5-Aminopentanoic	2,3-Difluorobenzaldehyde
	1	A11	5-Aminopentanoic	2-Bromobenzaldehyde
	1	B11	5-Aminopentanoic	2-Chloro-5-nitrobenzaldehyde
	1	C11	5-Aminopentanoic	2-Furaldehyde
30	1	D11	5-Aminopentanoic	2-Imidazolecarboxaldehyde
	1	E11	5-Aminopentanoic	2-Naphthaldehyde
	1	F11	5-Aminopentanoic	2-Pyridinecarboxaldehyde
	1	G11	5-Aminopentanoic	2-Thiophenecarboxaldehyde
	1	H11	5-Aminopentanoic	3,4-Dichlorobenzaldehyde
35	1	A12	5-Aminopentanoic	3,5-Bis(trifluoromethyl)benzaldehyde

	Index	Starting Material	Product	
5	1	B12	5-Aminopentanoic	3,5-Dihydroxybenzaldehyde
	1	C12	5-Aminopentanoic	3,5-Dimethoxybenzaldehyde
	1	D12	5-Aminopentanoic	3,5-Dimethyl-4-hydroxybenzaldehyde
	1	E12	5-Aminopentanoic	3-(4-Methoxyphenoxy) benzaldehyde
	1	F12	5-Aminopentanoic	3-Furaldehyde
10	1	G12	5-Aminopentanoic	3-Hydroxybenzaldehyde
	1	H12	5-Aminopentanoic	3-Methyl-4-methoxybenzaldehyde
	2	A1	5-Aminopentanoic	3-Methylbenzaldehyde
	2	B1	5-Aminopentanoic	3-Nitrobenzaldehyde
	2	C1	5-Aminopentanoic	3-Pyridinecarboxaldehyde
15	2	D1	5-Aminopentanoic	3-Thiophenecarboxaldehyde
	2	E1	5-Aminopentanoic	4-(3-Dimethylaminopropoxy) benzaldehyde
	2	F1	5-Aminopentanoic	4-(Dimethylamino) benzaldehyde
	2	G1	5-Aminopentanoic	4-(Methylthio) benzaldehyde
	2	H1	5-Aminopentanoic	4-(Trifluoromethyl) benzaldehyde
20	2	A2	5-Aminopentanoic	4-Biphenylcarboxaldehyde
	2	B2	5-Aminopentanoic	4-Bromo-2-thiophenecarboxaldehyde
	2	C2	5-Aminopentanoic	4-Cyanobenzaldehyde
	2	D2	5-Aminopentanoic	4-Methoxy-1-naphthaldehyde
	2	E2	5-Aminopentanoic	4-Nitrobenzaldehyde
25	2	F2	5-Aminopentanoic	4-Pyridinecarboxaldehyde
	2	G2	5-Aminopentanoic	5-(Hydroxymethyl)-2-furaldehyde
	2	H2	5-Aminopentanoic	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
	2	A3	5-Aminopentanoic	5-Nitro-2-furaldehyde
	2	B3	5-Aminopentanoic	6-Methyl-2-pyridinecarboxaldehyde
30	2	C3	7-Aminoheptanoic	Benzaldehyde
	2	D3	7-Aminoheptanoic	1,4-Benzodioxan-6-carboxaldehyde
	2	E3	7-Aminoheptanoic	1-Methylindole-3-carboxaldehyde
	2	F3	7-Aminoheptanoic	2,3-Difluorobenzaldehyde
	2	G3	7-Aminoheptanoic	2-Bromobenzaldehyde
35	2	H3	7-Aminoheptanoic	2-Chloro-5-nitrobenzaldehyde

		AMINO ACIDS	ALDEHYDES	
5	2	A4	7-Aminoheptanoic	2-Furaldehyde
	2	B4	7-Aminoheptanoic	2-Imidazolecarboxaldehyde
	2	C4	7-Aminoheptanoic	2-Naphthaldehyde
	2	D4	7-Aminoheptanoic	2-Pyridinecarboxaldehyde
	2	E4	7-Aminoheptanoic	2-Thiophenecarboxaldehyde
10	2	F4	7-Aminoheptanoic	3,4-Dichlorobenzaldehyde
	2	G4	7-Aminoheptanoic	3,5-Bis (trifluoromethyl) benzaldehyde
	2	H4	7-Aminoheptanoic	3,5-Dihydroxybenzaldehyde
	2	A5	7-Aminoheptanoic	3,5-Dimethoxybenzaldehyde
	2	B5	7-Aminoheptanoic	3,5-Dimethyl-4-hydroxybenzaldehyde
15	2	C5	7-Aminoheptanoic	3- (4-Methoxyphenoxy) benzaldehyde
	2	D5	7-Aminoheptanoic	3-Furaldehyde
	2	E5	7-Aminoheptanoic	3-Hydroxybenzaldehyde
	2	F5	7-Aminoheptanoic	3-Methyl-4-methoxybenzaldehyde
	2	G5	7-Aminoheptanoic	3-Methylbenzaldehyde
20	2	H5	7-Aminoheptanoic	3-Nitrobenzaldehyde
	2	A6	7-Aminoheptanoic	3-Pyridinecarboxaldehyde
	2	B6	7-Aminoheptanoic	3-Thiophenecarboxaldehyde
	2	C6	7-Aminoheptanoic	4- (3-Dimethylaminopropoxy) benzaldehyde
	2	D6	7-Aminoheptanoic	4- (Dimethylamino) benzaldehyde
25	2	E6	7-Aminoheptanoic	4- (Methylthio) benzaldehyde
	2	F6	7-Aminoheptanoic	4- (Trifluoromethyl) benzaldehyde
	2	G6	7-Aminoheptanoic	4-Biphenylcarboxaldehyde
	2	H6	7-Aminoheptanoic	4-Bromo-2-thiophenecarboxaldehyde
	2	A7	7-Aminoheptanoic	4-Cyanobenzaldehyde
30	2	B7	7-Aminoheptanoic	4-Methoxy-1-naphthaldehyde
	2	C7	7-Aminoheptanoic	4-Nitrobenzaldehyde
	2	D7	7-Aminoheptanoic	4-Pyridinecarboxaldehyde
	2	E7	7-Aminoheptanoic	5- (Hydroxymethyl) -2-furaldehyde
	2	F7	7-Aminoheptanoic	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
35	2	G7	7-Aminoheptanoic	5-Nitro-2-furaldehyde



	H	NAME	H	NAME	H	NAME
	2	H7	7-Aminoheptanoic		6	6-Methyl-2-pyridinecarboxaldehyde
	2	A8	Dap			Benzaldehyde
5	2	B8	Dap			1,4-Benzodioxan-6-carboxaldehyde
	2	C8	Dap			1-Methylindole-3-carboxaldehyde
	2	D8	Dap			2,3-Difluorobenzaldehyde
	2	E8	Dap			2-Bromobenzaldehyde
	2	F8	Dap			2-Chloro-5-nitrobenzaldehyde
10	2	G8	Dap			2-Furaldehyde
	2	H8	Dap			2-Imidazolecarboxaldehyde
	2	A9	Dap			2-Naphthaldehyde
	2	B9	Dap			2-Pyridinecarboxaldehyde
15	2	C9	Dap			2-Thiophenecarboxaldehyde
	2	D9	Dap			3,4-Dichlorobenzaldehyde
	2	E9	Dap			3,5-Bis(trifluoromethyl)benzaldehyde
	2	F9	Dap			3,5-Dihydroxybenzaldehyde
	2	G9	Dap			3,5-Dimethoxybenzaldehyde
20	2	H9	Dap			3,5-Dimethyl-4-hydroxybenzaldehyde
	2	A10	Dap			3-(4-Methoxyphenoxy)benzaldehyde
	2	B10	Dap			3-Furaldehyde
	2	C10	Dap			3-Hydroxybenzaldehyde
25	2	D10	Dap			3-Methyl-4-methoxybenzaldehyde
	2	E10	Dap			3-Methylbenzaldehyde
	2	F10	Dap			3-Nitrobenzaldehyde
	2	G10	Dap			3-Pyridinecarboxaldehyde
30	2	H10	Dap			3-Thiophenecarboxaldehyde
	2	A11	Dap			4-(3-Dimethylaminopropoxy)benzaldehyde
	2	B11	Dap			4-(Dimethylamino)benzaldehyde
	2	C11	Dap			4-(Methylthio)benzaldehyde
	2	D11	Dap			4-(Trifluoromethyl)benzaldehyde
35	2	E11	Dap			4-Biphenylcarboxaldehyde
	2	F11	Dap			4-Bromo-2-thiophenecarboxaldehyde

	NO.	NAME OF ALDEHYDE	NAME OF ALDEHYDE	
5	2	G11	Dap	4-Cyanobenzaldehyde
	2	H11	Dap	4-Methoxy-1-naphthaldehyde
	2	A12	Dap	4-Nitrobenzaldehyde
	2	B12	Dap	4-Pyridinecarboxaldehyde
	2	C12	Dap	5-(Hydroxymethyl)-2-furaldehyde
10	2	D12	Dap	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
	2	E12	Dap	5-Nitro-2-furaldehyde
	2	F12	Dap	6-Methyl-2-pyridinecarboxaldehyde
	2	G12	Lys	Benzaldehyde
	2	H12	Lys	1,4-Benzodioxan-6-carboxaldehyde
15	3	A1	Lys	1-Methylindole-3-carboxaldehyde
	3	B1	Lys	2,3-Difluorobenzaldehyde
	3	C1	Lys	2-Bromobenzaldehyde
	3	D1	Lys	2-Chloro-5-nitrobenzaldehyde
	3	E1	Lys	2-Furaldehyde
20	3	F1	Lys	2-Imidazolecarboxaldehyde
	3	G1	Lys	2-Naphthaldehyde
	3	H1	Lys	2-Pyridinecarboxaldehyde
	3	A2	Lys	2-Thiophenecarboxaldehyde
	3	B2	Lys	3,4-Dichlorobenzaldehyde
25	3	C2	Lys	3,5-Bis(trifluoromethyl)benzaldehyde
	3	D2	Lys	3,5-Dihydroxybenzaldehyde
	3	E2	Lys	3,5-Dimethoxybenzaldehyde
	3	F2	Lys	3,5-Dimethyl-4-hydroxybenzaldehyde
	3	G2	Lys	3-(4-Methoxyphenoxy)benzaldehyde
30	3	H2	Lys	3-Furaldehyde
	3	A3	Lys	3-Hydroxybenzaldehyde
	3	B3	Lys	3-Methyl-4-methoxybenzaldehyde
	3	C3	Lys	3-Methylbenzaldehyde
	3	D3	Lys	3-Nitrobenzaldehyde
35	3	E3	Lys	3-Pyridinecarboxaldehyde

	REF ID	NAME	NAME	
5	3	F3	Lys	3-Thiophenecarboxaldehyde
	3	G3	Lys	4-(3-Dimethylaminopropoxy) benzaldehyde
	3	H3	Lys	4-(Dimethylamino) benzaldehyde
	3	A4	Lys	4-(Methylthio) benzaldehyde
	3	B4	Lys	4-(Trifluoromethyl) benzaldehyde
10	3	C4	Lys	4-Biphenylcarboxaldehyde
	3	D4	Lys	4-Bromo-2-thiophenecarboxaldehyde
	3	E4	Lys	4-Cyanobenzaldehyde
	3	F4	Lys	4-Methoxy-1-naphthaldehyde
	3	G4	Lys	4-Nitrobenzaldehyde
15	3	H4	Lys	4-Pyridinecarboxaldehyde
	3	A5	Lys	5-(Hydroxymethyl)-2-furaldehyde
	3	B5	Lys	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
	3	C5	Lys	5-Nitro-2-furaldehyde
	3	D5	Lys	6-Methyl-2-pyridinecarboxaldehyde
20	3	E5	(S/R)-3-Amino-2-methyl-propionic	Benzaldehyde
	3	F5	(S/R)-3-Amino-2-methyl-propionic	1,4-Benzodioxan-6-carboxaldehyde
	3	G5	(S/R)-3-Amino-2-methyl-propionic	1-Methylindole-3-carboxaldehyde
25	3	H5	(S/R)-3-Amino-2-methyl-propionic	2,3-Difluorobenzaldehyde
	3	A6	(S/R)-3-Amino-2-methyl-propionic	2-Bromobenzaldehyde
30	3	B6	(S/R)-3-Amino-2-methyl-propionic	2-Chloro-5-nitrobenzaldehyde
	3	C6	(S/R)-3-Amino-2-methyl-propionic	2-Furaldehyde
	3	D6	(S/R)-3-Amino-2-methyl-propionic	2-Imidazolecarboxaldehyde
35	3	E6	(S/R)-3-Amino-2-methyl-propionic	2-Naphthaldehyde

		(S/R) -3-Amino-2-methyl-propionic	
5	3	F6	2-Pyridinecarboxaldehyde
	3	G6	2-Thiophenecarboxaldehyde
	3	H6	3,4-Dichlorobenzaldehyde
10	3	A7	3,5-Bis(trifluoromethyl)benzaldehyde
	3	B7	3,5-Dihydroxybenzaldehyde
	3	C7	3,5-Dimethoxybenzaldehyde
15	3	D7	3,5-Dimethyl-4-hydroxybenzaldehyde
	3	E7	3-(4-Methoxyphenoxy)benzaldehyde
	3	F7	3-Furaldehyde
20	3	G7	3-Hydroxybenzaldehyde
	3	H7	3-Methyl-4-methoxybenzaldehyde
	3	A8	3-Methylbenzaldehyde (m-Tolualdehyde)
25	3	B8	3-Nitrobenzaldehyde
	3	C8	3-Pyridinecarboxaldehyde
	3	D8	3-Thiophenecarboxaldehyde
30	3	E8	4-(3-Dimethylaminopropoxy)benzaldehyde
	3	F8	4-(Dimethylamino)benzaldehyde
	3	G8	4-(Methylthio)benzaldehyde

	R1	R2	R3	R4
5	3	H8	(S/R) -3-Amino-2-methyl-propionic	4-(Trifluoromethyl) benzaldehyde
	3	A9	(S/R) -3-Amino-2-methyl-propionic	4-Biphenylcarboxaldehyde
	3	B9	(S/R) -3-Amino-2-methyl-propionic	4-Bromo-2-thiophenecarboxaldehyde
	3	C9	(S/R) -3-Amino-2-methyl-propionic	4-Cyanobenzaldehyde
10	3	D9	(S/R) -3-Amino-2-methyl-propionic	4-Methoxy-1-naphthaldehyde
	3	E9	(S/R) -3-Amino-2-methyl-propionic	4-Nitrobenzaldehyde
15	3	F9	(S/R) -3-Amino-2-methyl-propionic	4-Pyridinecarboxaldehyde
	3	G9	(S/R) -3-Amino-2-methyl-propionic	5-(Hydroxymethyl) -2-furaldehyde
20	3	H9	(S/R) -3-Amino-2-methyl-propionic	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
	3	A10	(S/R) -3-Amino-2-methyl-propionic	5-Nitro-2-furaldehyde
	3	B10	(S/R) -3-Amino-2-methyl-propionic	6-Methyl-2-pyridinecarboxaldehyde
25	3	C10	2-(2-Aminoethoxy) acetic	Benzaldehyde
	3	D10	2-(2-Aminoethoxy) acetic	1,4-Benzodioxan-6-carboxaldehyde
	3	E10	2-(2-Aminoethoxy) acetic	1-Methylindole-3-carboxaldehyde
	3	F10	2-(2-Aminoethoxy) acetic	2,3-Difluorobenzaldehyde
	3	G10	2-(2-Aminoethoxy) acetic	2-Bromobenzaldehyde
30	3	H10	2-(2-Aminoethoxy) acetic	2-Chloro-5-nitrobenzaldehyde
	3	A11	2-(2-Aminoethoxy) acetic	2-Furaldehyde
	3	B11	2-(2-Aminoethoxy) acetic	2-Imidazolecarboxaldehyde
	3	C11	2-(2-Aminoethoxy) acetic	2-Naphthaldehyde
35	3	D11	2-(2-Aminoethoxy) acetic	2-Pyridinecarboxaldehyde
	3	E11	2-(2-Aminoethoxy) acetic	2-Thiophenecarboxaldehyde
	3	F11	2-(2-Aminoethoxy) acetic	3,4-Dichlorobenzaldehyde

	CODE	STARTING MATERIAL	PRODUCT	
5	3	G11	2- (2-Aminoethoxy) acetic	3,5-Bis (trifluoromethyl) benzaldehyde
	3	H11	2- (2-Aminoethoxy) acetic	3,5-Dihydroxybenzaldehyde
	3	A12	2- (2-Aminoethoxy) acetic	3,5-Dimethoxybenzaldehyde
	3	B12	2- (2-Aminoethoxy) acetic	3,5-Dimethyl-4-hydroxybenzaldehyde
	3	C12	2- (2-Aminoethoxy) acetic	3- (4-Methoxyphenoxy) benzaldehyde
10	3	D12	2- (2-Aminoethoxy) acetic	3-Furaldehyde
	3	E12	2- (2-Aminoethoxy) acetic	3-Hydroxybenzaldehyde
	3	F12	2- (2-Aminoethoxy) acetic	3-Methyl-4-methoxybenzaldehyde
	3	G12	2- (2-Aminoethoxy) acetic	3-Methylbenzaldehyde (m-Tolualdehyde)
	3	H12	2- (2-Aminoethoxy) acetic	3-Nitrobenzaldehyde
15	4	A1	2- (2-Aminoethoxy) acetic	3-Pyridinecarboxaldehyde
	4	B1	2- (2-Aminoethoxy) acetic	3-Thiophenecarboxaldehyde
	4	C1	2- (2-Aminoethoxy) acetic	4- (3-Dimethylaminopropoxy) benzaldehyde
	4	D1	2- (2-Aminoethoxy) acetic	4- (Dimethylamino) benzaldehyde
	4	E1	2- (2-Aminoethoxy) acetic	4- (Methylthio) benzaldehyde
20	4	F1	2- (2-Aminoethoxy) acetic	4- (Trifluoromethyl) benzaldehyde
	4	G1	2- (2-Aminoethoxy) acetic	4-Biphenylcarboxaldehyde
	4	H1	2- (2-Aminoethoxy) acetic	4-Bromo-2-thiophenecarboxaldehyde
	4	A2	2- (2-Aminoethoxy) acetic	4-Cyanobenzaldehyde
	4	B2	2- (2-Aminoethoxy) acetic	4-Methoxy-1-naphthaldehyde
25	4	C2	2- (2-Aminoethoxy) acetic	4-Nitrobenzaldehyde
	4	D2	2- (2-Aminoethoxy) acetic	4-Pyridinecarboxaldehyde
	4	E2	2- (2-Aminoethoxy) acetic	5- (Hydroxymethyl) -2-furaldehyde
	4	F2	2- (2-Aminoethoxy) acetic	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
	4	G2	2- (2-Aminoethoxy) acetic	5-Nitro-2-furaldehyde
30	4	H2	2- (2-Aminoethoxy) acetic	6-Methyl-2-pyridinecarboxaldehyde
	4	A3	trans-4- (Aminomethyl) cyclohexanecarboxylic	Benzaldehyde
	4	B3	trans-4- (Aminomethyl) cyclohexanecarboxylic	1,4-Benzodioxan-6-carboxaldehyde
	4	C3	trans-4- (Aminomethyl) cyclohexanecarboxylic	1-Methylindole-3-carboxaldehyde
	4			

	4	D3	trans-4- (Aminomethyl) cyclohexanecarboxylic	2,3-Difluorobenzaldehyde
5	4	E3	trans-4- (Aminomethyl) cyclohexanecarboxylic	2-Bromobenzaldehyde
	4	F3	trans-4- (Aminomethyl) cyclohexanecarboxylic	2-Chloro-5-nitrobenzaldehyde
	4	G3	trans-4- (Aminomethyl) cyclohexanecarboxylic	2-Furaldehyde
10	4	H3	trans-4- (Aminomethyl) cyclohexanecarboxylic	2-Imidazolecarboxaldehyde
	4	A4	trans-4- (Aminomethyl) cyclohexanecarboxylic	2-Naphthaldehyde
15	4	B4	trans-4- (Aminomethyl) cyclohexanecarboxylic	2-Pyridinecarboxaldehyde
	4	C4	trans-4- (Aminomethyl) cyclohexanecarboxylic	2-Thiophenecarboxaldehyde
	4	D4	trans-4- (Aminomethyl) cyclohexanecarboxylic	3,4-Dichlorobenzaldehyde
20	4	E4	trans-4- (Aminomethyl) cyclohexanecarboxylic	3,5-Bis (trifluoromethyl) benzaldehyde
	4	F4	trans-4- (Aminomethyl) cyclohexanecarboxylic	3,5-Dihydroxybenzaldehyde
25	4	G4	trans-4- (Aminomethyl) cyclohexanecarboxylic	3,5-Dimethoxybenzaldehyde
	4	H4	trans-4- (Aminomethyl) cyclohexanecarboxylic	3,5-Dimethyl-4-hydroxybenzaldehyde
	4	A5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3- (4-Methoxyphenoxy) benzaldehyde
30	4	B5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3-Furaldehyde
	4	C5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3-Hydroxybenzaldehyde
	4	D5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3-Methyl-4-methoxybenzaldehyde
35	4	E5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3-Methylbenzaldehyde

	WILEY	REAGENTS	ALDEHYDE	
5	4	F5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3-Nitrobenzaldehyde
	4	G5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3-Pyridinecarboxaldehyde
	4	H5	trans-4- (Aminomethyl) cyclohexanecarboxylic	3-Thiophenecarboxaldehyde
10	4	A6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4- (3-Dimethylaminopropoxy) benzaldehyde
	4	B6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4- (Dimethylamino) benzaldehyde
	4	C6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4- (Methylthio) benzaldehyde
15	4	D6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4- (Trifluoromethyl) benzaldehyde
	4	E6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4-Biphenylcarboxaldehyde
	4	F6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4-Bromo-2-thiophenecarboxaldehyde
20	4	G6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4-Cyanobenzaldehyde
	4	H6	trans-4- (Aminomethyl) cyclohexanecarboxylic	4-Methoxy-1-naphthaldehyde
	4	A7	trans-4- (Aminomethyl) cyclohexanecarboxylic	4-Nitrobenzaldehyde
25	4	B7	trans-4- (Aminomethyl) cyclohexanecarboxylic	4-Pyridinecarboxaldehyde
	4	C7	trans-4- (Aminomethyl) cyclohexanecarboxylic	5- (Hydroxymethyl) -2-furaldehyde
	4	D7	trans-4- (Aminomethyl) cyclohexanecarboxylic	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
30	4	E7	trans-4- (Aminomethyl) cyclohexanecarboxylic	5-Nitro-2-furaldehyde
	4	F7	trans-4- (Aminomethyl) cyclohexanecarboxylic	6-Methyl-2-pyridinecarboxaldehyde
	4	G7	4- (Aminomethyl) benzoic	Benzaldehyde



No.	Ref.	4- (Aminomethyl) benzoic	4- (Aminomethyl) benzoic	
5	4	H7	4- (Aminomethyl) benzoic	14-Benzodioxan-6-carboxaldehyde
	4	A8	4- (Aminomethyl) benzoic	1-Methylindole-3-carboxaldehyde
	4	B8	4- (Aminomethyl) benzoic	2,3-Difluorobenzaldehyde
	4	C8	4- (Aminomethyl) benzoic	2-Bromobenzaldehyde
	4	D8	4- (Aminomethyl) benzoic	2-Chloro-5-nitrobenzaldehyde
10	4	E8	4- (Aminomethyl) benzoic	2-Furaldehyde
	4	F8	4- (Aminomethyl) benzoic	2-Imidazolecarboxaldehyde
	4	G8	4- (Aminomethyl) benzoic	2-Naphthaldehyde
	4	H8	4- (Aminomethyl) benzoic	2-Pyridinecarboxaldehyde
	4	A9	4- (Aminomethyl) benzoic	2-Thiophenecarboxaldehyde
15	4	B9	4- (Aminomethyl) benzoic	3,4-Dichlorobenzaldehyde
	4	C9	4- (Aminomethyl) benzoic	3,5-Bis (trifluoromethyl) benzaldehyde
	4	D9	4- (Aminomethyl) benzoic	3,5-Dihydroxybenzaldehyde
	4	E9	4- (Aminomethyl) benzoic	3,5-Dimethoxybenzaldehyde
	4	F9	4- (Aminomethyl) benzoic	3,5-Dimethyl-4-hydroxybenzaldehyde
20	4	G9	4- (Aminomethyl) benzoic	3- (4-Methoxyphenoxy) benzaldehyde
	4	H9	4- (Aminomethyl) benzoic	3-Furaldehyde
	4	A10	4- (Aminomethyl) benzoic	3-Hydroxybenzaldehyde
	4	B10	4- (Aminomethyl) benzoic	3-Methyl-4-methoxybenzaldehyde
	4	C10	4- (Aminomethyl) benzoic	3-Methylbenzaldehyde (m- Tolualdehyde)
25	4	D10	4- (Aminomethyl) benzoic	3-Nitrobenzaldehyde
	4	E10	4- (Aminomethyl) benzoic	3-Pyridinecarboxaldehyde
	4	F10	4- (Aminomethyl) benzoic	3-Thiophenecarboxaldehyde
	4	G10	4- (Aminomethyl) benzoic	4- (3-Dimethylaminopropoxy) benzaldehyde
	4	H10	4- (Aminomethyl) benzoic	4- (Dimethylamino) benzaldehyde
30	4	A11	4- (Aminomethyl) benzoic	4- (Methylthio) benzaldehyde
	4	B11	4- (Aminomethyl) benzoic	4- (Trifluoromethyl) benzaldehyde
	4	C11	4- (Aminomethyl) benzoic	4-Biphenylcarboxaldehyde
	4	D11	4- (Aminomethyl) benzoic	4-Bromo-2-thiophenecarboxaldehyde
	4	E11	4- (Aminomethyl) benzoic	4-Cyanobenzaldehyde
35	4	F11	4- (Aminomethyl) benzoic	4-Methoxy-1-naphthaldehyde

Well	Aldehyde	Aldehyde	
		Aldehyde	Aldehyde
4	G11	4-(Aminomethyl)benzoic	4-Nitrobenzaldehyde
4	H11	4-(Aminomethyl)benzoic	4-Pyridinecarboxaldehyde
5	A12	4-(Aminomethyl)benzoic	5-(Hydroxymethyl)-2-furaldehyde
4	B12	4-(Aminomethyl)benzoic	5-Bromo-4-hydroxy-3-methoxybenzaldehyde
4	C12	4-(Aminomethyl)benzoic	5-Nitro-2-furaldehyde
4	D12	4-(Aminomethyl)benzoic	6-Methyl-2-pyridinecarboxaldehyde

10 As used in Table 1, "Dap" refers to (S)2,3-Diamino propionic acid.

Microtiter plates were closed by the polypropylene mats and placed on the shaker. After 3 hours, the color in all wells disappeared (coupling was completed) and plates  
15 were uncapped and placed onto the centrifuge rotor.

Solutions were removed by centrifugation and washing solvent (DMF, 75  $\mu$ l) was added by multichannel pipettor. This washing step was repeated four times with DMF and the solution of 50% piperidine in DMF was added (50  $\mu$ l). After  
20 15 minutes of incubation the plates were centrifuged and washing cycle with DMF was repeated four times, followed by washing with 0.05 M (50 $\mu$ l) trimethylorthoformate (2x).

Multititer plates were transferred to the table of a liquid handling robotic station Multiprobe 104 (Packard Canberra),  
25 and appropriate aldehyde solutions (50 $\mu$ l, 0.5 M in DMF) were added by multichannel pipetting. Then solution of trimethylorthoformate (50 $\mu$ l, 1M in DMF) was added to all

wells, plates were closed by polypropylene mat application and placed onto a shaker. After 3 hour incubation plates  
30 were placed onto the centrifuge, liquid was removed and two washes with 0.2M trimethylorthoformate in DMF were performed.

Solution of homophthalic anhydride (0.4M in DMF, 50 $\mu$ l, diisopropylethylamine was added to this solution just prior to the addition to wells to make the concentration  
35 0.03M) was added to each well and closed multititerplates were shaken overnight. Multititerplates were placed on the centrifuge, liquid was removed and five washes with DMF were

performed. Solution of HATU (0.3 M in DMF, 50  $\mu$ l) was added and removed by centrifugation after 20 minutes incubation and solution of an amine (1 M in DMF, 40 $\mu$ l) was added. After 1 hour incubation of closed multititerplates at shaker, the solution was removed by centrifugation, plates were washed by DMF (2 times) and preincubation with HATU and incubation with amine solution was repeated once more overnight. Solution was removed by centrifugation and multititerplates were washed with DMF five times and with tert.butylmethylether twice. Trifluoroacetic acid was added to the plates by multichannel pipettor (75  $\mu$ l to each well) and closed plates were shaken for two hours. Multititerplates were then opened, placed into SpeedVac (Savant), TFA was evaporated in vacuo. Plates were placed onto the table of Multiprobe 104 and solid support was extracted by repeated (four times) addition and removal of 165  $\mu$ l of DMF into individual wells of multititerplate. Extracts were transferred to deep well polypropylene microtiter plates and evaporated in SpeedVac. All wells were analyzed by LCMS. Purities of prepared compounds were ranked into four categories.

The results are presented in Table 2.

Table 2.

Results of Synthesis of 380 Tetrahydroisoquinolone Compounds

PRODUCT	NUMBER OF CASES	%
Single peak (>95%)	201	52.90
Major peak (85 - 95%)	129	33.90
Product present (50 - 85%)	14	3.70
Minor peak (< 50%)	21	5.60
Not present	15	3.90

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those

described herein will become apparent to those skilled in the art from the foregoing description and accompanying figures. Such modifications are intended to fall within the scope of the appended claims.

5           Various publications are cited herein, the disclosures of which are incorporated by reference in their entireties.

10

15

20

25

30

35

WHAT IS CLAIMED IS:

1. A method for separating a liquid phase from a solid phase, comprising:
  - (a) positioning an array of reaction vessels, 5 said vessels containing a slurry of solid phase supports in a liquid, on the perimeter of a centrifuge rotor; and
  - (b) spinning the rotor of the centrifuge at a speed so that the solid phase particles sediment in a "pocket" of the vessels and the liquid phase is expelled from 10 the vessels.
2. The method of claim 1, in which the array of reaction vessels is a microtiter plate and the vessels are spun at a tilted position at an angle of tilt which is not 15 greater than 22 degrees tilting towards the center of rotation.
3. The method of claim 1, in which the array of reaction vessels is a microtiter plate with vessels having 20 walls perpendicular to their bases, in which each vessel contains an individual solid phase support or an amount of solid phase supports that cannot form more than a monolayer on the side of the wall of the vessel and the vessels are spun at an angle of tilt which is zero degrees or the same 25 value as the slope of the walls of the vessels.
4. A method for separating a liquid phase from a solid phase, comprising:
  - (a) positioning an array of reaction vessels, 30 said vessels containing a slurry of solid phase supports in a liquid, on the perimeter of a centrifuge rotor in a tilted position; and
  - (b) spinning the rotor of the centrifuge at a speed at which the centrifugal force on the radius 35 corresponding to the vessels which are closest to the axis of rotation is substantially greater than the force of gravity, so that so that the solid phase particles sediment in a

"pocket" of the vessels and the liquid phase is expelled from the vessels.

5. The method according to claim 4, in which the  
5 rotor of the centrifuge is spun at a speed at which the centrifugal force on the radius corresponding to the reaction vessels closest to the axis of rotation is at least 20 x G.

6. The method according to claim 4, in which the  
10 rotor of the centrifuge is spun at a speed at which the centrifugal force on the radius corresponding to the reaction vessels closest to the axis of rotation is at least 5 to 300 X G.

15 7. An apparatus for separating a liquid phase from a solid phase contained in the wells of a microtiter plate, comprising a holder adapted to attaching a microtiter plate to a rotor of a centrifuge, said holder comprising one or more indentations or groves designated "collecting  
20 pockets" having a volume sufficient to collect and retain any liquid expelled from the wells of the microtiter plate when the holder and attached microtiter plate are spun by the centrifuge rotor.

25 8. An integrated apparatus or system for solid phase chemical synthesis, comprising:

- (a) a centrifuge in which an array of reaction vessels suitable for solid phase organic synthesis can be spun in a tilted position;
- 30 (b) a liquid distribution device; and
- (c) a computer for processing a program of instructions for addition of liquid phase to and removal, via centrifugation, of liquid phase from the reaction vessels according to said program.

35

1/17





FIG. 1A





3/17




FIG. 2A






FIG. 2B

5/17



6/17




FIG. 4D




FIG. 3C

7/17




FIG. 3F




FIG. 3E

8/17




FIG. 4




FIG. 5B




FIG. 5A

10/17




FIG. 5C





FIG. 5D



11/17



**FIG. 6A**

12/17




FIG. 6B




FIG. 6C

13/17




FIG. 7B




FIG. 7A

14/17




FIG. 8B





FIG. 8A

15/17




FIG. 8D




FIG. 8C

16/17




FIG. 9B




FIG. 9C




FIG. 9A

17/17




FIG. 10

# INTERNATIONAL SEARCH REPORT

Inte. national Application No

PCT/US 98/24519

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 B01J19/00 B04B1/00

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 B01J B04B G01N A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 412 973 A (JEAN GUIGAN) 1 November 1983 see abstract see column 2, line 30 - line 48 see column 3, line 49 - column 4, line 13 see claims; figures 1,4	1,4
A	US 3 586 484 A (NORMAN G. ANDERSON) 22 June 1971 see the whole document	1,4,8
A	WO 93 10455 A (CIRRUS DIAGNOSTICS, INC.) 30 September 1993 see abstract; claims; figures	1,4-6,8
A	EP 0 569 115 A (GENERAL ATOMICS) 10 November 1993 see the whole document	1-8
-/-		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- \*" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

29 March 1999

Date of mailing of the international search report

15/04/1999

Name and mailing address of the ISA  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Stevnsborg, N



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/24519

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	FR 2 156 519 A (IMMUNO AG. FÜR CHEMISCH-MEDIZINISCHE PRODUKTE) 1 June 1973 see the whole document	1-4,7
A	MENOTTI RUVO ET AL.: "Facile Manual Synthesis of Peptide Libraries" PROTEIN AND PEPTIDE LETTERS., vol. 1, no. 3, 1994, pages 187-192, XP002098198 SCHIPHOL NL see abstract; figure 1	1,4,7

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/24519

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4412973 A	01-11-1983	FR 2496268 A	18-06-1982
		AR 227344 A	15-10-1982
		AT 10398 T	15-12-1984
		AU 542037 B	31-01-1985
		AU 7849681 A	24-06-1982
		BR 8108113 A	21-09-1982
		CA 1168562 A	05-06-1984
		DK 554081 A	16-06-1982
		EP 0054262 A	23-06-1982
		IE 52112 B	24-06-1987
		IN 157491 A	12-04-1986
		JP 57124254 A	03-08-1982
		SU 1085502 A	07-04-1984
		ZA 8108668 A	27-10-1982
US 3586484 A	22-06-1971	AT 303424 B	15-10-1972
		BE 750657 A	03-11-1970
		CH 519170 A	15-02-1972
		DE 2022084 A	26-11-1970
		FR 2043636 A	19-02-1971
		GB 1260804 A	19-01-1972
		JP 49020116 B	22-05-1974
		NL 7007331 A	25-11-1970
		SE 367061 B	13-05-1974
WO 9310455 A	27-05-1993	NONE	
EP 569115 A	10-11-1993	JP 6034628 A	10-02-1994
FR 2156519 A	01-06-1973	AT 308712 B	15-06-1973
		DE 2201542 A	12-04-1973